

ARIA HOTELS & CONSULTANCY SERVICES PVT. LTD.

Aria Towers | 6th Floor | JW Marriott Hotel New Delhi Aerocity | Asset Area - 4 | Hospitality District | Aerocity |
New Delhi - 110037 | India | Tel: 011-41597325 | CIN : U74140DL2007PTC163275

Dated: 24th March, 2026

Member Secretary,
Delhi Pollution Control Committee,
4th Floor, ISBT Building,
Kashmere Gate,
Delhi-110006.

Sub: Submission of Yearly Report regarding status of various Environmental Safeguards, for the period of April, 2025 to March, 2026 for Compliance Assurance with conditions of Environmental Clearance (EC), as prescribed for construction of "JW Marriott" Hotel at Asset Area-4, Land Parcel-1A, Hospitality District, Delhi Aerocity, Indira Gandhi International (IGI) Airport, New Delhi.

Dear Sir

It is to put forward that M/s Aria Hotels & Consultancy Services Pvt. Ltd.(Aria) is hereby submitting Yearly Progress Report (for the period *April, 2025 to March, 2026*) for the status of various Environmental Safeguards in compliance with the conditions of Environmental Clearance#71/DPCC/SEIAA-SEAC/10/1171, dated 20th July 2010, for the Operational Hotel i.e., Hotel JW Marriott at Asset Area-4, Land Parcel-1A, Hospitality District, Delhi Aerocity, IGI Airport, New Delhi, both in hard copy and soft copy Attached.

As per the conditions laid down in EC, please find enclosed Point-wise Compliance Status of stipulated Environmental Conditions along with following enclosures for your kind perusal:

1. Compliance Status to the Conditions of the EC.
2. Consent to Operate (CTO) from Delhi Pollution Control Committee.
3. Effluent Test report for STP. *(Annexed)*
4. Soil Monitoring Report. *(Annexed)*
5. *Air Stack Monitoring Report (Annexed)*
6. Noise Monitoring Report for D.G. Sets of 1500 KVA. *(Annexed)*
7. Ambient Noise Monitoring Report. *(Annexed)*
8. *Ambient Air Monitoring Report. (Annexed)*
9. Approval from Delhi Fire Service (DFS) for Fire Safety. *(Annexed)*
10. *Hotel Structure Photograph (Attached)*
11. *First Aid Facility Photograph (Attached)*
12. *STP Structure Photograph (Attached)*
13. *Wet – Garbage Machine Photograph (Attached)*
14. *PNG Gas Connection Bill (Attached)*
15. *Buffer Green Belt Photograph (Annexed)*



OWNER OF : **JW MARRIOTT**
NEW DELHI AEROCITY

Aria would like to take this opportunity to humbly submit here that we are an environmentally and socially responsible company dedicated to protecting human health and natural resources. We do understand that ensuring environmental compliance is a continual process and we look forward to your guidance in this regard.

We sincerely appreciate this opportunity to be under your kind consideration and look forward for a long-term, positive association with MOEF.

We hope you will find these documents in order.

Thanking you and with very best regards.

Sincerely,

For Aria Hotels & Consultancy Services Pvt Ltd

Authorized Signatory

Encl: As stated above.



Copy to: Shri D. P. Sinha
APCCF (C) Regional Office (Central) Ministry of Environment & Forest,
Regional Office Kendriya Bhawan, Fifth Floor, Sector – H, Aliganj
Lucknow – 226024, Uttar Pradesh.

Thanking you and with very best regards.

Sincerely,

For Aria Hotels & Consultancy Services Pvt Ltd

Authorized Signatory

Encl: As stated above.



Yearly EC compliance report

Project name: construction of M/s JW MARRIOTT HOTEL– Delhi Aero city, at asset no– 04, hospitality district, DIAL IGI AIRPORT, NEW DELHI - 110037.

PROJECT PROPONNET:

M/s JW MARRIOTT HOTEL– Delhi Aero city,
Asset No: 04, Hospitality District (DIAL) IGI Airport, New Delhi - 110037

CONSULTANT:

FRIEND'S ENVIRO ENGINEERS,
NEW DELHI-110044.

EC LETTER NO. F NO. 71/DPCC/SEIAA-SEAC/10/1171

REPORTING PERIOD: April-2025—march-2026.

SN	EC CONDITION	COMPLIANCE STATUS	SUPPORTING DOCUMENTS
PART– A SPECIFIC PHASE			
1. CONSTRUCTION PHASE			
1	Construction to be started after consent to establish has been obtained from Delhi pollution control committee under air and water Acts and a copy shall be submitted to the SEAC-NCT Delhi, falling which project shall be discontinued.	Complied with the conditions. (Consent to operate has been obtained vide certificate No- G-33274 & consent order No- DPCC/CMC/2023/6669799, valid upto-18-3-2028)	Complied with the condition (consent to operate has been obtained) copy attached as Annexure
2	A first aid room to be provided in the project both during construction and operation phase.	Complied with the conditions. (A first aid room with required medicine and dedicated paramedical is present at site. All the first aid supplies are checked and refilled on monthly basis.)	Complied with the conditions
3	Provision shall be made for the housing of construction labor within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP Safe drinking water, medical health care, crèche etc. The housing may be in the form temporary structures to be removed after completion of the project. The safe disposal off waste water and solid wastes generated during construction phase should be ensured.	Complied with the conditions. (All civil work completed for construction phase, there is no requirement of Labour camp).	Complied with the conditions.
4	Health and safety norms of CPWD are be followed during construction.	Complied with the conditions. (A dedicated HSE plan has been developed for construction phase of the project considering the code/ norms specified by CPWD and National Building Code of India, 2005).	Complied with the conditions.
5	Top Soil Excavated during construction activates should be stored for horticulture/ Landscape development with site.	Complied with the conditions.	Complied with the conditions.
6	Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites within the approval of competent authority.	Complied with the conditions.	Complied with the conditions.
7	Proper measures should be adopted to control dust emissions during construction phase.	Complied with the conditions. (All civil work has already been completed)	Complied with the conditions.



8	Soil and water samples of the site should be tasted by the proponent through DPCC recognized laboratory to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants on quarterly basis for inclusion in the six-monthly reports.	Complied with the conditions (All test report is being conduct by NABL/MoEF certified lab)	Complied with the conditions, (STP outlet test report is being conducted at half yearly interval by FARE labs Pvt. Ltd at presented in Annexure.
9	Construction spoils, including bituminous material and other hazardous materials, must not be allowed to contaminate watercourse and the dump site for such material must be secured so that they should not leach into the ground water. If necessary, oil trap should be installed where there is deployment of heavy machineries	Complied with the conditions. (All civil work completed at our site No Bituminous materials at our site).	Complied with the conditions.
10	Any hazardous waste generated during construction and operation phase should be disposed off as per the applicable rules and norms with necessary approvals to the Delhi Pollution Control Committee.	Complied with the conditions.	Complied with the conditions.
11	The diesel generator sets to be used during construction phase should have acoustic enclosures with low Sulphur diesel type and should confirm to Environment Protection Rules prescribed for air and noise emission Standards.	Complied with the conditions.	Complied with the conditions. (D.G. Set monitoring Reports are providing as Annexure.
12	The diesel required for operating DG sets shall be started in undergrounds tanks and if required, clearance from chief Controller of explosives shall be taken.	Complied with the conditions.	Complied with the conditions, i.e- (Diesel Storage license & consumption records attached as Annexure
13	Vehicles hired for bring contraction material to the site should have a Pollution check certificate and should conform to applicable air and noise emissions standards and should be covered (specially excavated soil before transportation to avoid fugitive emissions etc.	Complied with the conditions.	Complied with the conditions.
14	Ambient noise levels should conform to prescribed residential standards to prescribed residential standards both during day and night. Only limited necessary construction should be done during night time. Adequate measures should be made to reduce ambient air and noise level during construction and operation phase so as to conform to the norms stipulate by CPCB/DPCC. Ambient air and noise monitoring should be also be submitted in six monthly basis.	Complied with the conditions.	Complied with the conditions, (Ambient noise monitoring report attached) as Annexure.



15	Thick green belt of the adequate width and density as per plan submitted, shall be raised along the periphery of the plot as to provide protection against particulates and noise . 700 trees of native species should be planted and the species should be selected from the list of trees approved by airport authority.	Complied with the conditions.	Complied with the conditions, (We have already developed buffer green belt photo on which attached in Annexure.
16	Rain water harvesting as per plan submitted for roof top run off and surface runoff should be implemented Before recharging the surface run off, pre treatment must be done to remove suspended matter oil and grease. The depth of bore for rainwater recharging should be kept in consultation With DJB no waste water (Such as sewage, trade effluent backwash of treatment unit, floor washing water etc) should be disjuncture in order to avoid groundwater contamination.	Complied with the conditions.	Complied with the conditions,
17	No ground water withdrawal during construction and operation phase	Complied with the conditions.	Complied with the conditions,
18	Fly ash should be used as building material in the construction as per the provision of Ash Notification of September, 1999 and amended as on 27 th August, 2003	Complied with the conditions.	Complied with the conditions.
19	Ready mix concrete must be used in building construction.	Complied with the conditions.	Complied with the conditions,
20	Water demand during construction should be reduced by use of pre mixed concrete curing agents and other best practices preferred.	Complied with the conditions.	Complied with the conditions,
21	Fixtures for showers toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing device or sensor based control.	Complied with the conditions. (Conditions accepted and are being followed).	Complied with the conditions,
22	Energy Conservation building code to be strictly adopted in all aspects of building design and construction.	Complied with the conditions.	Complied with the conditions,
23	Approval of competent authority shall be obtained for structural safety of the building due to earthquake adequacy etc. as per national Building Code including Protection measures from lightning etc.	Complied with the conditions and have stability certificate by Mr. S.K. Nandi- Member, Institutional of Structural Engineers London- U.K- Membership No- 020096041 and Member association of consulting engineers India- membership No- 133	Complied with the conditions,
24	Clearance from airport Authority of India should be obtained for building height.	Complied with the conditions. (Clearance from airport has already obtained and same was provided with first EC compliance)	Complied with the conditions,



25	Regular supervision of the above and other measures for mentoring should be in place all through the construction phase so as to avoid disturbance to all surroundings.	Complied with the conditions.	Complied with the conditions.
II OPERATION PHASE			
1	Consent to operate under Air and Water Acts shall be obtained from DPCC before operation, failing which the Environmental Clearance herein shall be deemed to be withdrawn.	(Consent to operate has been obtained vide certificate No- G-33274 & consent order No- DPCC/CMC/2023/6669799, valid upto-18-3-2028)	Complied with the conditions. Consent to operate renewal has already obtained to DPCC copy of CTO attached as Annexure .
2.	The zero wastewater discharge condition to be achieved with installation of onsite Sewage Treatment Plant. The STP should be certified by an independent expert and adequacy report in this regard should be submitted to Delhi Pollution Control Committee before the project is commissioned for operation. Necessary measures should be made to mitigate the odor problem from STP.	Complied with the conditions. (The installations of STP have certified by an independent expert from Jamia university and a report of the same was submitted to the concerned authority. 100% of the treated effluent are doing recycled in flushing, horticulture and cooling purpose and The solid waste are doing segregate at the source into bio-degradable, recyclable and dry / inert waste. The biodegradable part will be composted)	Complied with the conditions. (As per policy of DPCC we are using total treated waste water reused for Flushing and Gardening, cooling towers etc.).
3	The Solid waste (dry as well as wet garbage) generated should be properly collected and segregated. Biodegradable (Wet) garbage generated should be converted to compost or biogas by suitable technology. Non biodegradable waste should be outsourced properly after recovery of recyclable be taken to prevent odor problem.	Complied with the conditions. (The company is complying with proper collection and segregation of solid waste (WET & Dry).	Complied with the conditions. (Organic Waste- Bio gas Converter- OWC has been installed at site as per notification of SDMC
4.	All the Solid Waste Should be managed and converted into energy by DIAL for whole Aero city area.	Delhi International Air Port Ltd (DIAL) shall be managing the Solid waste for the whole Delhi Aero city Area.	Complied with the condition
5.	Utilization of diesel power generating sets is subject to power failure condition only. The DG sets proposed as a source of power back up of during operation phase should be of enclosed type, low sculpture diesel run and conform to rules made under the Environment (Protection) Act in 1986. The DG sets should be subjected to periodic noise and stack monitoring in consultation with DPCC. Waste / used diesel should be stored and managed and be sold to CPCB approved recyclers. Clearance from all should be obtained for stack height of DG set. The location of the DG sets may be decided in consultation with the competent authority.	The power supply in operational phase will be provided by BSES. However, the DG will be kept as a backup support. For 1500 KVA each x4 Nos and the monitoring of DG sets Stack test report is being conducted by FARE LABS PVT. LTD.	The power supply in the hotel for operation phase will be provided by BSES. However, DG will be kept as backup support and already installed dual fuel kits to convert PNG operation of all DG Sets (copy of Stack monitoring test report attached in Annexure



6.	Traffic congestion near the entry and exit Points from the roads adjoining the project site must be avoided. Parking should be fully internalized as per the competent Authority and no public space should be utilized.	Entry and Exit Points to the complex have been worked out, keeping in view the desired movement of vehicles and surrounding road network. Wide internal roads have been provided for vehicular movement. We have provided 714 ECS basement parking	Entry and Exit Points to the complex have been worked out, keeping in view the desired movement of vehicles and surrounding road network. Wide internal roads have been provided for vehicular movement. We have provided 714 ECS basement parking
7.	Energy conservation measures such as solar lighting for common areas solar water heating system , CFL/ TFL for lighting of areas, LED light for signage , solar inverters etc should be adopted .	All possible energy conservation measures have been adopted in the project; we have solar lighting for guest room corridors, heat pumps for hot water & cooling generation and LED lighting for Guest rooms and public areas. The company strives to follow energy conservation building code and maximize on energy efficiency and we are in process of applying for LEED gold certification. We would like our hotel to be a modern building recognized as one of the most ideal green building of Delhi.	Complied with the conditions) copy attached as Annexure.
8	Used CF/TFL should be properly collected and disposed off/sent for recycling as per the regulatory authority to avoid mercury contamination.	LED lightings have been provided in most of the places to attain significant energy efficiency. And if any CFL would be used. We have made the arrangements of their safe storage and disposal.	Complied with the conditions (Condition accepted and have been provided)
9	A report on energy conservation measure conforming to energy conservation norms finalized by Bureau of energy Efficiency should be prepared incorporating details about building mater rails and technology , R & U factors etc. and submit a copy to ministry of Environment and forests ,Regional office Chandigarh and DPCC in three months with intimation to SEIAA.	The energy conservation measures as finalized by Bureau of Energy Efficiency and We would prepare a report and submit it to DPCC and MOEF regional office Lucknow.	Complied with the conditions



<u>GENERAL CONDITION</u>			
1	The environmental safeguards and monitoring schedule as contained in the EMP should be implemented in letter and spirit and there will be no departure from the final project proposal as approval herein.	Monitoring has been carried out as per the conditions given in EC letter issued by Honorable SEAC-SEIAA, NCT of Delhi.	We have made every possible effort to adhere to various environmental safeguarding and protection measures as per our submissions to SEAC-SEIAA, NCT of Delhi
2	Corporate Social Responsibility should be carried out per action plan and budget submitted.	CSR is being carried out as per action plan and budget submitted to SEAC-NCT of Delhi from 2012-2013 as per the plan submitted along with from 1 & 1A to the authority	Subsequent presentation to SEAC-NCT of Delhi
3	Official from Ministry of Environment and forest , regional Office Lucknow and Delhi Pollution Control Committee .who would be monitoring the implementation of environmental safeguard should be given full cooperation, facilities and document/data on site by the project proponents during their site inspection .A complete set of all the documents submitted and to SEAC should be forwarded to Ministry monitoring reports should also be submitted to Ministry of Environment and forests, regional office, Lucknow and forests regional Office , Lucknow and DPCC.	Conditions accepted with Complete sets of all documents had been submitted to DPCC office and other duplicate copy to MOEF regional Office at Lucknow.	Complete sets of all documents had been submitted to Parivesh web. and portal receipt submit to DPCC office and other duplicate copy to MOEF regional Office at Lucknow.
4	In case of any change in the scope of the project would require a fresh appraisal by the SEAC.	Compliance to this condition will be ensured.	Condition followed
5	In compliance to Hon'ble High Court's Order dated 7 th August 2008. Use sale and storage of all kinds of plastic bags shall be forbidden.	It shall be ensured that use. Sale and storage of all kinds of plastic bags are forbidden and company would be abiding by the plastic waste management Rules 2016 as amended to date	Plastic/ carry bags not used by the hotel.
6	E- waste generated in the complex should be managed as per CPCB guidelines on E – waste management and disposed through approved E-waste recyclers	It shall be ensured that e-waste generated in the hotel is managed as per CPCB guidelines and shall be disposed through approved e-waste recyclers.	Condition followed with agreements.



7	State Environmental Impact Assessment Authority reserves the right to additional safeguard measures subsequently. If found necessary and to take action including the revoking of the environmental (Protection) Act ,1986 to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	We respect the esteemed panel of the SEAC and would abide by their advice for environmental protection	Condition followed
8	All other statutory clearance such as the approvals for storage of diesel from chief Controller of Explosives, fire department Civil Aviation Department etc. shall be obtained as applicable by project proponents from the respective competent authority.	We have obtained all the required statutory clearance form respective authorities from Addl. Commissioner (Licensing), Delhi police for storage of petroleum class-B HSD, copy of approvals from Delhi fire department (DFS), structural safety approval, NOC for Height clearance from Airport Authority of India (AAI) and Approval from Delhi Urban Art commission (DUAC) Copies of approvals obtained were provided with previous EC compliance reports.	All applicable approvals from respective authorities have been submitted.
9	These stipulation would be enforced among other under the provisions of water (Prevention and Control) Pollution Act 1974. The Air (Prevention and Control) 1981. The Environment (Prevention) Act, 1986. The Public Liability (Insurance) Act,1991 and EIA Notification, 2006.	Compliance to this condition has ensured The advertisement about the grant of Environmental clearance to JW Marriott hotel have been published in the Newspapers- The Statesman (English) Dated 10 th August 2010.	Compliance to this condition has ensured
10	The project proponent should prominently advertise in at least two local Newspapers widely circulated in the region indicating that the project has been accorded Environmental Clearance and the copy of clearance is available with the DPCC and may also be seen on the website of DPCC at http://www.dpcc.delhigovt@nic.in . The advertisement should be made within 10days from the date of receipt of the clearance letter.	Compliance to this condition has ensured The advertisement about the grant of Environmental clearance to JW Marriott hotel have been published in the Newspapers- The Statesman (English) Dated 10 th August 2010 and Veer Arjun (Hindi) dated 10 th August 2010. Copies of the advertisement have already been submitted in our first compliance report submitted in December 2010.	Compliance to this condition has ensured
11	The project proponent should submit copy of Environmental Clearance to the Heads of local bodies, Panchayats and Municipal bodies in addition to relevant offices of Government who in return has to display the same for 30 days from the date of receipt.	This has been complied with Delhi International Airport Pvt. Ltd (DIAL) has right to operate the Delhi Airport for a period of 30 years, which is further extendable for a further period of 30 years through into an operation, management and development agreement with AAI, therefore, DIAL is the local body providing all the necessary amenities to the Delhi Aero city area like provision for water and electricity supply. Waste water collection and its treatment, storm water	Condition complied with



		collection systems, soiled waste management etc. a copy of the Environment clearance has been submitted to DIAL in this Regard.	
12	An appeal against this Environmental Clearance shall lie with the National Environment Appellate Authority, if preferred within a period of 30 days as prescribed under Section 11 of the National Environment Appellate Act, 1997.	Noted	
13	Status of compliance to the various stipulated environmental conditions and environmental safeguards will be uploaded by the project proponent in be uploaded by the project proponent in its website .	This compliance report would be published on company's website for public as early.	Uploading the EC status to Parivesh website & PDF copy of report to mentioned hotel web site.





भारत सरकार
Government of India
वाणिज्य और उद्योग मंत्रालय
Ministry of Commerce & Industry
पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पिसो)
Petroleum & Explosives Safety Organisation (PESO)
हाल संख्या 502 एवं 507, लेवल-5, ब्लॉक II, पुराना सी.जी.ओ. कॉम्प्लेक्स, एन.एच.4
फरीदाबाद- 121001
Hall No. 502 & 507, Level 5, Block B, Old CGO Complex, NH-4,
Faridabad - 121001

E-mail : jtccefaridabad@explosives.gov.in
Phone/Fax No : 0129 - 2410734, 2410732

संख्या /No. : P/NC/DL/15/434 (P299783)

दिनांक /Dated : 25/03/2022

सेवा में
/To,

M/s. ARIA HOTELS AND CONSULTANCY SERVICES PVT. LTD.,
E-BASEMENT CLARION COLLECTION-THE QUTAB HOTE,
SHAHEED JEET SINGH MARG,
NEW DELHI,
District: DELHI,
State: Delhi
PIN: 110016

विषय Plot No, Asset No.4 at Hospitality Distt. Centre I G I Air Port Delhi, ARIA HOTELS AND CONSULTANCY SERV, I G I
/Sub : Airport, New Delhi, Taluka: New Delhi, District: DELHI, State: Delhi, PIN: 110037 में स्थित विद्यमान पेट्रोलियम वर्ग B अधिष्ठापन में
अनुज्ञप्ति सं P/NC/DL/15/434 (P299783) के नवीकरण के संदर्भ में।
Existing Petroleum Class B Installation at Plot No, Asset No.4 at Hospitality Distt. Centre I G I Air Port Delhi, ARIA
HOTELS AND CONSULTANCY SERV, I G I Airport, New Delhi, Taluka: New Delhi, District: DELHI, State: Delhi, PIN:
110037 - Licence No. P/NC/DL/15/434 (P299783) - Renewal regarding.

महोदय
/Sir(s),

कृपया आपके पत्र क्रमांक OIN1028552 दिनांक 19/03/2022 का अवलोकन करें।
Please refer to your letter No.: OIN1028552, dated 19/03/2022

अनुज्ञप्ति संख्या P/NC/DL/15/434 (P299783) दिनांक 28/01/2014 को दिनांक 31/12/2031 तक नवीनीकृत कर इस पत्र के साथ अधिष्ठापन की जा
रही है।

Licence No. P/NC/DL/15/434 (P299783) dated 28/01/2014 is forwarded herewith duly renewed upto 31/12/2031.

2002 के अधीन बनाए गए नियम 148 में दी गई प्रक्रिया का कड़ाई से पालन करें। अनुज्ञप्ति के नवीकरण हेतु समस्त दस्तावेजों को अनुज्ञप्ति की वैधता
समाप्त होने की तिथि से कम से कम 30 दिन पूर्व to Jt. Chief Controller of Explosives, North Circle, Faridabad, so as to reach his
कार्यालय में प्रस्तुत करें।

Please follow the procedure strictly as laid down in rule 148 of the Petroleum Rules, 2002 and submit complete documents for
the Renewal of the licence to Jt. Chief Controller of Explosives, North Circle, Faridabad, so as to reach his office on or
before the date on which Licence expires.

कृपया पावती दें।
Please acknowledge the receipt.

भवदीय /Yours faithfully,

((आर.एन.मीना)
(R.N.Meena)

संयुक्त मुख्य विस्फोटक नियंत्रक
Jt. Chief Controller of Explosives
फरीदाबाद/Faridabad

(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क तथा अन्य विवरण के लिए हमारी वेबसाइट : <http://peso.gov.in> देखें)
(For more information regarding status, fees and other details please visit our website: <http://peso.gov.in>)
Note:-This is system generated document does not require signature.

Digitally signed by RAM NARAIN MEENA
Reason: Licence No. : P/NC/DL/15/434
Location:North Circle (P299783)
Date:2022.03.25 01:45:50 +05:30

अनुज्ञापि संख्या-(Licence No.) P/NC/DL/15/434 (P299783)

नवीनीकरण के पृष्ठांकन के लिए स्थान
SPACE FOR ENDORSEMENT OF RENEWALS

पेट्रोलियम अधिनियम, १९३४ के उपबन्धों या नवीनीकरण की तारीख उनके अधीन बनाए गए नियमों या इस अनुज्ञापि की शर्तों का उल्लंघन न होने की दशा में यह अनुज्ञापि फ़िस में बिना किसी छूट के दस वर्ष तक नवीकृत की जा सकेगी]	Date of Renewal	समाप्ति की तारीख Date of Expiry of license	अनुज्ञापन प्राधिकारी के हस्ताक्षर और स्टाम्प Signature and office stamp of the licencing authority.
This licence shall be renewable without any concession in fee for ten years in the absence of contravention of any provisions of the Petroleum Act, 1934 or of the rules framed thereunder or of any of the conditions of this licence.			

- | | | | |
|-----|------------|------------|---|
| 1). | 07/12/2016 | 31/12/2021 | Sd/-
R.P.Singh
Jt. Chief Controller of
Explosives
Faridabad |
| 2). | 25/03/2022 | 31/12/2031 | R.N.Meena
Jt. Chief Controller of
Explosives
Faridabad |

यदि अनुज्ञापि परिसर इसमें उपाब्द्ध विवरण और शर्तों के अनुरूप नहीं पाए जाते हैं और जिन नियमों और शर्तों के अधीन यह अनुज्ञापि मंजूर की गई है उनमें से किसी का उल्लंघन होने की दशा में यह अनुज्ञापि रद्द की जा सकती है और अनुज्ञापिधारी प्रथम अपराध के लिए साधारण कारावास से, जो एक मास तक हो सकता है, या जुर्माने से, जो एक हजार रुपये तक हो सकता है, या दोनों से, और प्रत्येक पश्चात्तवर्ती अपराध के लिए साधारण कारावास से जो तीन मास तक हो सकता है, या जुर्माने से, जो पाँच हजार रुपये तक हो सकता है, या दोनों से, दण्डनीय होगा।

This licence is liable to be cancelled if the licensed premises are not found conforming to the description given on the approved plan attached hereto and contravention of any of the rules and conditions under which this licence is granted and the holder of this licence is also punishable for the first offence with simple imprisonment which may be extend to one month, or with fine which may extend to one thousand rupees, or with both and for every subsequent offence with simple imprisonment which may extend to three months, or with fine which may extend to five thousand rupees or with both.

Note:-This Is system generated document does not require signature.



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building
Kashmere Gate, Delhi 110006
(Visit us at <https://www.dpcccomms.nic.in>)



CONSENT ORDER

Certificate No. :G-33274

Name of the unit	:	ARIA HOTELS AND CONSULTANCY SERVICES PRIVATE LIMITED
Address	:	ASSET NO 4 HOSPITALITY DISTRICT AEROCITY NEW DELHI, Hotels, Delhi - 110037
Consent Order No	:	DPCC/CMC/2023/6669799
Date of issue	:	04/09/2023
Product/Activity	:	Hotel (3 Star and Above) -not connected to / Discharging Effluent into Public/ Municipal/ DJB Sewer having Kitchen and / or Laundry with boiler
Manufacturing Activities	:	HOTEL
Category Name	:	[RED]
Product Capacity	:	null null

This Consent to Operate is hereby granted under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 under RED Category. This consent is subjected to terms and conditions specified overleaf. This is being issued with reference to your application id 6669799 valid from 19/03/2023 to 18/03/2028.

PANKAJ
KAPIL

Digitally signed by
PANKAJ KAPIL
Date: 2023.09.06 16:48:17
+05'30'

Incharge, EIA Cell

Terms and Conditions

1. The Consentee shall meet the effluent standards i.e. pH= 5.5-9, Total Suspended Solids (TSS) -50, Biochemical Oxygen Demand (3days at 27degree Cent.)-30, Oil and Grease-10, Phosphate Total-1. # All effluent parameters are in mg/l expect pH value.
2. The Consent is activity specific and based on the information provided in the consent application along with the documents/ subsequent documents/information submitted to Delhi Pollution Control Committee (DPCC). The Consentee shall apply for fresh consent in case of any change in the activity/manufacturing process.
3. The consentee shall display the Name of the unit along with its Address, name of the proprietor/Directors/partners etc., Contact Phone No(s) and its Activities Processes/ Product etc, on a Display Board to be placed/fixed at the main gate of the unit.
4. The consentee/unit shall have/take separate Electricity/Power connection in its name and shall have/install separate meter in this regard.
5. The consentee shall provide and maintain separate drainage system for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of collection system and shall be connected to the conveyance system/ sewerage system of the area leading to common Effluent Treatment Plant of the Industrial Area/sewage Treatment Plant of the catchment area.
6. The Consentee shall obtain permission from Delhi Jal Board, for ground water extraction, if any, as per the various orders/Notification of Govt. of NCT of Delhi.
7. The Consentee shall ensure proper channelization/ control system for fugitive emissions generated from the various activities/ processes of the unit and maintain good housekeeping practices so as to maintain clean & safe environment in and around the premises of the unit
8. The Consentee shall comply with the noise standards laid down vide Gazette notification of Ministry of Environment and Forest(MOEF), Government of India Dated 17.05.2002 & 12.07.2004, as amended to date, for the Diesel Generator Set(s) and shall also comply with the Emission Standards prescribed for Diesel Engines [(Engine rating more than 0.8 MW) for Power Plant, Generator Set applications and other requirements],if any, as per the Gazette Notification of MOEF, Dated 09.07.2002, as amended to date. Stack Height for sets(Engine rating more than 0.8 MW) commissioned after 01.07.2003 shall be maximum of following (i)Minimum 6 meter above the building where generator set is installed (ii) 30 meter (iii) $14Q^{0.3}$ (Q Total So₂ emission from the plant in kg per hr) and for other DG Set(s) (up to 0.8 MW) stack height shall be as per the following formula, $H = h + 0.2KVA$ (H-Total Height of stack in meter , h =Height of the building in meters where the Generator Set is installed, KVA -Total Generator capacity of the set in KVA).
9. Capacity of the DG Set (s) installed in the unit 4 x 1500 kVA. The Consentee shall properly maintain the Acoustic Enclosure/ Acoustic Treated room for DG Set(s) in good condition and maintain the adequate stack height for DG Set(s) to meet the prescribed standards/ norms as mentioned above. The Consentee shall ensure the compliance of the extant directions issued by CAQM / CPCB/ DPCC under GRAP.
10. The DG set shall be operated subject to compliances of the norms. The Consentee shall not operate the DG Set(s) till compliance of the prescribed norms/standards for DG Sets.
11. The Consentee shall comply with the provisions of the Hazardous and Other Wastes (Management and Trans boundary Movement) Rules, 2016, as amended to date, the Batteries (Management and Handling) Rules, 2001 as amended to date, Solid Waste Management Rules, 2016 and E-Waste (Management) Rules, 2016, the Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989, as amended to date, wherever applicable. All such wastes generated from the unit will be managed and handled as per the provisions of the said Rules and will be disposed only through the Recycler/ Reprocessor /Authorized Agencies for such wastes, authorized by MOEF/Central Pollution Control Board/State Pollution Control Board/Committee/DPCC as per details available on their websites.
12. The Consentee shall comply with the provisions of the Plastic Waste Management Rules, 2016, as




TEST REPORT

Report No.: GECPL/ SE-202603/54		Date: 14/03/2026	
ULR No.: TC137572500000211F			
Name & Address of Customer	:	M/s JW Marriott Asset Area 4, Hospitality, District - Delhi Aerocity, New Delhi - 110037 New Delhi India	
Contact Person	:	-	
Sample Collection Date	:	10/03/2026	Sampling Type : Isokinetic
Sample Receipt Date	:	11/03/2026	Sample ID : SE-202603/54
Sampling Location	:	Make- Thermax & Neotherm- 10/10/54/10 Modal No. - D2268 Boiler Stack - 01 1000 Kg/hr	Sample Description : Stack Emission Stack Height -27 m Diameter of Stack - 0.07 m Instrument Id - GECPL/SMK/02 Fuel Used - PNG
Sample Collected / Submitted by	:	GEPCL Team	Protocol used for monitoring : IS:11255
Quantity / No. of Sample	:	1 Thimble, 1 SO ₂ ×50 mL, NO _x ×50 mL, Tedler Bag	Analysis Started On : 11/03/2026
Packing / Seal	:	Temp. Sealed	Analysis Completed On : 14/03/2026
Type of Container	:	Plastic Container	Format No. : 7.8 F-06
Environmental Condition during the test		25°C ±3 °C	

Stack Analysis Results

S. No.	Parameter	Result	Unit	Protocol used for Analysis	Limits as Per CPCB
1	Particulate Matter (as PM) at 15 % CO ₂	27.3	mg/Nm ³	IS 11255 (Part 01): 1985(RA 2019)	1200
2	Sulphur Dioxide (as SO ₂)	2.89	mg/Nm ³	IS 11255 (Part 02): 1985(RA 2019)	-
3	Oxides of Nitrogen (as NO _x)	27.9	mg/Nm ³	IS 11255 (Part 07): 1985(RA 2022)	-

Remarks: Sampling done by GECPL representative


Reviewed By
Dr. Rama Srivastava
(Technical Manager)


Verified by **Authorized Signatory**
Mr. Neeraj Kumar yadav
(Quality Manager)



TEST REPORT

Report No.: GECPL/ SE-202603/55		Date: 14/03/2026	
ULR No.: TC137572500000212F			
Name & Address of Customer	:	M/s JW Marriott Asset Area 4, Hospitality, District - Delhi Aerocity, New Delhi - 110037 New Delhi India	
Contact Person	:	-	
Sample Collection Date	:	10/03/2026	Sampling Type : Isokinetic
Sample Receipt Date	:	11/03/2026	Sample ID : SE-202603/55
Sampling Location	:	Make- Thermax & Neotherm- 10/10/54/11 Modal No. - D2269 Boiler Stack - 02 1000 Kg/hr	Sample Description : Stack Emission Stack Height -27 m Diameter of Stack - 0.07 m Instrument Id - GECPL/SMK/02 Fuel Used - PNG
Sample Collected / Submitted by	:	GEPCL Team	Protocol used for monitoring : IS:11255
Quantity / No. of Sample	:	1 Thimble, 1 SO ₂ ×50 mL, NO _x ×50 mL, Tedler Bag	Analysis Started On : 11/03/2026
Packing / Seal	:	Temp. Sealed	Analysis Completed On : 14/03/2026
Type of Container	:	Plastic Container	Format No. : 7.8 F-06
Environmental Condition during the test		25°C ±3 °C	

Stack Analysis Results

S. No.	Parameter	Result	Unit	Protocol used for Analysis	Limits as Per CPCB
1	Particulate Matter (as PM) at 15 % CO ₂	33.8	mg/Nm ³	IS 11255 (Part 01): 1985(RA 2019)	1200
2	Sulphur Dioxide (as SO ₂)	3.02	mg/Nm ³	IS 11255 (Part 02): 1985(RA 2019)	-
3	Oxides of Nitrogen (as NO _x)	25.2	mg/Nm ³	IS 11255 (Part 07): 1985(RA 2022)	-

Remarks: Sampling done by GECPL representative


Reviewed By
Dr. Rama Srivastava
(Technical Manager)


Verified by Authorized Signatory
Mr. Neeraj Kumar yadav
(Quality Manager)




TEST REPORT

Report No.: GECPL/ SE-202603/56		Date: 14/03/2026	
ULR No.: TC137572500000213F			
Name & Address of Customer	:	M/s JW Marriott Asset Area 4, Hospitality, District - Delhi Aerocity, New Delhi - 110037 New Delhi India	
Contact Person	:	-	
Sample Collection Date	:	10/03/2026	Sampling Type : Isokinetic
Sample Receipt Date	:	11/03/2026	Sample ID : SE-202603/56
Sampling Location	:	Make- Thermax & Neotherm- 10/10/54/19 Modal No. - D2270 Boiler Stack - 03 1000 Kg/hr	Sample Description : Stack Emission Stack Height -27 m Diameter of Stack - 0.07 m Instrument Id - GECPL/SMK/02 Fuel Used - PNG
Sample Collected / Submitted by	:	GEPCL Team	Protocol used for monitoring : IS:11255
Quantity / No. of Sample	:	1 Thimble, 1 SO ₂ ×50 mL, NO _x ×50 mL, Tedler Bag	Analysis Started On : 11/03/2026
Packing / Seal	:	Temp. Sealed	Analysis Completed On : 14/03/2026
Type of Container	:	Plastic Container	Format No. : 7.8 F-06
Environmental Condition during the test		25°C ±3 °C	

Stack Analysis Results

S. No.	Parameter	Result	Unit	Protocol used for Analysis	Limits as Per CPCB
1	Particulate Matter (as PM) at 15 % CO ₂	30.7	mg/Nm ³	IS 11255 (Part 01): 1985(RA 2019)	1200
2	Sulphur Dioxide (as SO ₂)	3.45	mg/Nm ³	IS 11255 (Part 02): 1985(RA 2019)	-
3	Oxides of Nitrogen (as NO _x)	28.2	mg/Nm ³	IS 11255 (Part 07): 1985(RA 2022)	-

Remarks: Sampling done by GECPL representative


Reviewed By
Dr. Rama Srivastava
(Technical Manager)


Verified by & Authorized Signatory
Mr. Neeraj Kumar yadav
(Quality Manager)

TEST REPORT

Issued to:
JW Marriott
 Asset Area 4, Hospitality District, Delhi
 Aerocity, New Delhi, Delhi, 110037, India

J.O. No. : FLENV20260311-011-066
 ULR Code : TC5503 26 3 00002368 F
 Issue Date : 16/03/2026
 Sample Receipt Date : 11/03/2026
 Account Manager : BD Team-03
 Credit Manager : Septesh Kumar



Customer Provided Information: #

Nature of the Sample : **Indoor Air**
 Sampling Location : **3rd Floor Room No.- 3081**

Laboratory Provided Information:

Date of Sampling : 10-03-2026
 Time of Sampling : 10:15 AM
 Test Started On : 11-03-2026
 Test Completed On : 16-03-2026
 Purpose of Monitoring : To Check Pollution Load
 Method of Sampling : IS-5182 (P-14), FL/SOP/ENV/D-04 & FL/SOP/B/D-4
 Average Flow Rate (lpm) : 100
 Temperature (°C) : 23
 Avg. Flow Rate of Air (lpm) (TVOC) : 0.2
 Avg. Flow Rate of Air (lpm) : 0.5
 Sampling Done By : Mr. Himmat (FARE Labs Representative)

Analysis Report

S. No.	Parameters	Unit	Test Results	OSHA 3430-4:2011 Standards* (Maximum Allowable Limit)	Test Method
Chemical Analysis					
1	PM2.5(Respirable)	mg/m ³	0.042	5	FL/SOP/ENV-19
2	PM10 (Total)	mg/m ³	0.086	15	FL/SOP/ENV-19
3	Carbon Monoxide	ppm	1.56	50	FL/SOP/02-25
4	Formaldehyde	ppm	0.03	0.75	ISO 16000-3: 2011
5	Nitrogen Dioxide	ppm	0.027	5	NIOSH Method 6014: 1994
6	Carbon Dioxide	ppm	534.78	5000	FL/SOP/02-25
7	Air Movement	m/sec	0.16	Not Specified	FL/SOP/ENV-03
8	Relative Humidity	%	48	Not Specified	FL/SOP/ENV-02
9	Sulphur Dioxide	ppm	0.019	5	NIOSH Method 6004: 1994

Arjun Chaturvedi

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9312684333.

#: The details are received from Customer on its own responsibility. FARE Labs Pvt. Ltd. does not Confirm about it and hence does not take any responsibility whatsoever.

FL/GEN/IF-06

TEST REPORT

Issued to:
JW Marriott
 Asset Area 4, Hospitality District, Delhi
 Aerocity, New Delhi, Delhi, 110037, India

J.O. No. : FLENV20260311-011-066
 ULR Code : TC5503 26 3 00002368 F
 Issue Date : 16/03/2026
 Sample Receipt Date : 11/03/2026
 Account Manager : BD Team-03
 Credit Manager : Septesh Kumar



Customer Provided Information: #

Nature of the Sample : **Indoor Air**
 Sampling Location : **3rd Floor Room No.- 3081**

Laboratory Provided Information:

Date of Sampling : 10-03-2026
 Time of Sampling : 10:15 AM
 Test Started On : 11-03-2026
 Test Completed On : 16-03-2026
 Purpose of Monitoring : To Check Pollution Load
 Method of Sampling : IS-5182 (P-14), FL/SOP/ENV/D-04 & FL/SOP/B/D-4
 Average Flow Rate (lpm) : 100
 Temperature (°C) : 23
 Avg. Flow Rate of Air (lpm) (TVOC) : 0.2
 Avg. Flow Rate of Air (lpm) : 0.5
 Sampling Done By : Mr. Himmat (FARE Labs Representative)

Analysis Report

S. No.	Parameters	Unit	Test Results	SS 554:2021 Standards# (Maximum Allowable Limit)	Test Method
Microbial Analysis					
1	Total Bacterial Count (Bacterial aerosol)	cfu/m ³	32	1000	FL/SOP/B/L-1
2	Yeast & Mould count (Fungal aerosol)	cfu/m ³	8	Not Specified	FL/SOP/B/L-2

*OSHA 3430-04:2011: Occupational Safety and Health Administration Standards for Indoor Air Quality in Commercial and Institutional Buildings, US department of Labour, USA.

#SS 554:2021 Standards: Singapore Standards of Indoor Air Quality for Air Conditioned Buildings, Singapore.

Inference: The tested sample of Workzone Air for above mentioned location conforms to OSHA & SS Standards.

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 931 2884333.

#: The details are received from Customer on its own responsibility. FARE Labs Pvt. Ltd. does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to:
JW Marriott
 Asset Area 4, Hospitality District, Delhi
 Aerocity, New Delhi, Delhi, 110037, India

J.O. No. : FLENV20260311-011-058
 ULR Code : TC5503 26 3 00002367 F
 Issue Date : 16/03/2026
 Sample Receipt Date : 11/03/2026
 Account Manager : BD Team-03
 Credit Manager : Septesh Kumar



Customer Provided Information: #

Nature of the Sample : **Workzone Noise**
 Location : **3rd Floor Room No. 3081**

Laboratory Provided Information:

Date of Monitoring : **10-03-2026**
 Purpose of Monitoring : **To Check Noise Level**
 Parameter Tested : **Noise Level, Leq dB (A)**
 Sampling Method : **FL/SOP/ENV/D-03**
 Sampling Done By : **Mr. Himmat (FARE Labs Representative)**

Analysis Report

S. No.	Parameters	Test Results	OSHA PEL*	Test Method
Chemical Analysis				
1	Work Zone Noise	55.3	90	FL/SOP/ENV-07

PEL= Permissible Exposure Limit

*OSHA - Occupational Safety and Health Administration Standards for Indoor Air Quality in Commercial and Institutional Buildings, US department of Labour, USA.

*dB (A) Leq denotes the time weighted average of the level of sound in decibel on scale A which is relatable to human hearing.

Inference: The Noise Levels Meet the OSHA PEL Noise.

Arun Chaturvedi

Authorised Signatory
 Mr. Arun Chaturvedi, Scientist-C

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9312664333.

#: The details are received from Customer on its own responsibility. FARE Labs Pvt. Ltd. does not Confirm about it and hence does not take any responsibility whatsoever.

*** End of Report ***

ISO 9001:2015

ISO 14001:2015

ISO 45001:2018

ISO / IEC 27001:2013

Digitally Signed



TEST REPORT

Report No.: GECPL/AA-202603/38	Date: 14/03/2026		
ULR No.: TC1375725000000205F			
Name & Address of Customer	M/s JW Marriott Asset Area 4, Hospitality, District - Delhi Aerocity, New Delhi - 110037 New Delhi India		
Contact Person	-		
Sample Collection Date	10/03/2026 to 11/03/2026	Sampling Type	NA
Sample Receipt Date	11/03/2026	Sample ID	AA-202603/38
Sampling Location	Near Gate No. 05	Sample Description	Ambient Air Instrument ID -GECPL/RDS /FPS /01
Sample Collected / Submitted by	GECPL Team	Protocol used for monitoring	IS 5182(Part-14): 2019
Quantity / No. of Sample	2 Filter paper, (Pm ₁₀ , Pm _{2.5}) 1 SO ₂ ×30 mL, 1 NO ₂ ×30 mL, 1 Tedlar Bag	Analysis Started On	11/03/2026
Packing / Seal	Temp. Sealed	Analysis Completed On	14/03/2026
Type of Container	Plastic Container	Format No.	7.8 F-05
Meteorological Condition During Monitoring	25°C ±2 °C		

Ambient Air Analysis Results

Sr. No.	Parameter	Result	Unit	Protocol used for Analysis	NAAQS
1	Particulate Matters (PM ₁₀)	202.5	µg/m ³	IS 5182 (Part 23) 2022	100(Max.)
2	Particulate Matters (PM _{2.5})	64.2	µg/m ³	IS 5182 (Part 24) 2024	60(Max.)
3	Sulphur Dioxide as (SO ₂)	21.6	µg/m ³	IS 5182 (Part 2) 2023	80(Max.)
4	Nitrogen Dioxide as (NO ₂)	31.7	µg/m ³	IS 5182 (Part 6) 2022	80(Max.)
5	Carbon Monoxide as (CO)	0.60	mg/m ³	IS 5182 (Part 10) 2022	4.0(Max.)
6	Ammonia as (NH ₃)	BLQ (<22.0)	µg/m ³	IS 5182 (Part 25) 2018	400(Max.)
7	Ozone as (O ₃)	22.4	µg/m ³	IS 5182 (Part 9) 2019	180(Max.)
8	Benzo(a)pyrene	BLQ (<0.5)	ng/m ³	IS 5182 (Part 12) 2019	1.0(Max.)
9	Benzene as (C ₆ H ₆)	BLQ (<1.0)	µg/m ³	IS 5182 (Part 11) 2006	5.0(Max.)

Remarks: Sampling done by GECPL representative

BLQ: Below Limit of Quantification

Limits as per National Ambient Air Quality Standards (NAAQS) with Respect to Above Tested Parameters


Reviewed By
Dr. Rama Srivastava
(Technical Manager)


Verified By & Authorized Signatory
Mr. Neeraj Kumar Yadav
(Quality Manager)



GURUKRIPA ENVIRO CARE PVT. LTD.

Complete Enviro Solution



TEST REPORT

Report No.: GECPL/N-202603/40		Date: 14/03/2026	
ULR No.: TC137572500000206F			
Name & Address of Customer	M/s JW Marriott Asset Area 4, Hospitality, District - Delhi Aerocity, New Delhi - 110037 New Delhi India		
Contact Person	-		
Sample Collection Date	10/03/2026 to 11/03/2026	Sampling Type	NA
Sample Receipt Date	11/03/2026	Sample ID	N-202603/40
Sampling Location	Near Main Porche	Sample Description	Ambient Noise Monitoring Instrument ID - GECPL/SLM/01
Sample Collected/ Submitted by	GECPL Team	Protocol used for monitoring	IS 9989-2023
Analysis Started On	11/03/2026	Analysis Completed On	14/03/2026
Instrument calibration status	Calibrated	Format No.	7.8 F-07
Meteorological condition during monitoring	Clear Sky	Actual duration of Monitoring, (Hrs.)	24 Hrs.
Meteorological condition during monitoring		25°C ±3 °C	

Ambient Noise Analysis Results

S.No.	Parameters	Day Time (dB(A))	Night Time (dB(A))	Test Method
1.	Lmax	58.6	52.3	IS 9989 : 1981 (Reaffirmed Year: 2023)
2.	Lmin	49.6	47.5	
3.	Leq	54.1	49.9	
<ul style="list-style-type: none"> Day time: 06:00 am to 10:00 pm Night time: 10:00 pm to 06:00 am 				

Ambient Noise Quality Standards as per Noise Pollution (Regulation and control) Rules, 2000

Area Code	Category of Area/Zone	Limits in dB (A) Leq*	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence zone	50	40

Remark: Sampling done by GECPL representative

-----End Report-----

Reviewed By
Dr. Rama Srivastava
(Technical Manager)

Verified by & Authorized Signatory
Mr. Neeraj Kumar yadav
(Quality Manager)



This Report is issued under the following terms & Condition:

- Samples are not drawn by Gurukripa Enviro Care Private Limited, unless otherwise mentioned. The results are applicable only to the submitted sample. Endorsement of the product is neither inferred nor implemented.
- The test report in full or part shall not be used for promotional or publicity purposes without the written consent of Gurukripa Enviro Care Private Limited.
- Samples shall be stored for the period of 15 days after the date of issue of Report.

+91-97996 00577
+91-99289 11231

info@gurukripaenviro.com
www.gurukripaenviro.com

J-491/492, Near Chatrala Circle,
Sitapura Industrial Area, Jaipur-302022 (Raj.)

Approved by : NABL / MoEF & CC / CPCB and SPCB / MSME / OHSAS 45001:2018 / ISO 9001:2015 / ISO 14001:2015



GURUKRIPA ENVIRO CARE PVT. LTD.

Complete Enviro Solution




Test Report

Report No.: GECPL/N -202603/41		Date: 14/03/2026	
ULR No.: TC137572500000214F			
Name & Address of Customer	:	M/s JW Marriott Asset Area 4, Hospitality, District - Delhi Aerocity, New Delhi - 110037 New Delhi India	
Contact Person	:	-	
Sample Collection Date	:	10/03/2026	Sampling Type : NA
Sample Receipt Date	:	11/03/2026	Sample ID : N -202603/41
Sampling Location	:	DG Set- 1500 KVA Cummins & KTA - 50- G8-I Modal No. - 25370641 DG Set - 01	Sample Description : DG Noise monitoring (Insertion Loss)
Sample Collected / Submitted by	:	GECPL Team	Protocol used for monitoring : IS 4758:1968
Analysis Started On	:	11/03/2026	Analysis Completed On : 14/03/2026
Instrument calibration status	:	Calibrated	Format No. : 7.8 F-07
Meteorological condition during monitoring	:	Clear Sky	Actual duration of Monitoring, (Minutes.) : 30 Minutes
Meteorological condition during monitoring		25°C ±3 °C	

Test Results

S. No.	Parameters	Unit	Results	Specifications	Test Method
1	1.0 Meter From Acoustic Surface	dB(A)	73.5	-	IS 4758:1968
2	Near Acoustic Enclosure	dB(A)	98.2	-	IS 4758:1968
3	Insertion Loss	dB(A)	24.7	-	IS 4758:1968

Remarks: Sampling done by GECPL representative


Reviewed By
Dr. Rama Srivastava
(Technical Manager)


Verified By Authorized Signatory
Mr. Neera Kumar yadav
(Quality Manager)

This Report is issued under the following terms & Condition:

- Samples are not drawn by Gurukripa Enviro Care Private Limited, unless otherwise mentioned. The results relate only to the above tested sample and applicable Parameters.
- The test report in full or part shall not be used for promotional or publicity purposes without the written consent of Gurukripa Enviro Care Private Limited.
- Samples shall be stored for the period of 15 days after the date of issue of Report.

+91-97996 00577
+91-99289 11231

info@gurukripaenviro.com
www.gurukripaenviro.com

J-491/492, Near Chatrala Circle,
Sitapura Industrial Area, Jaipur-302022 (Raj.)

Approved by : NABL / MoEF & CC / CPCB and SPCB / MSME / OHSAS 45001:2018 / ISO 9001:2015 / ISO 14001:2015



GURUKRIPA ENVIRO CARE PVT. LTD.

Complete Enviro Solution




Test Report

Report No.: GECPL/N -202603/42		Date: 14/03/2026	
ULR No.: TC137572500000215F			
Name & Address of Customer	:	M/s JW Marriott Asset Area 4, Hospitality, District - Delhi Aerocity, New Delhi - 110037 New Delhi India	
Contact Person	:	-	
Sample Collection Date	:	10/03/2026	Sampling Type : NA
Sample Receipt Date	:	11/03/2026	Sample ID : N -202603/42
Sampling Location	:	DG Set- 1500 KVA Cummins & KTA - 50- G8-I Modal No. - 25371903 DG Set - 02	Sample Description : DG Noise monitoring (Insertion Loss)
Sample Collected / Submitted by	:	GECPL Team	Protocol used for monitoring : IS 4758:1968
Analysis Started On	:	11/03/2026	Analysis Completed On : 14/03/2026
Instrument calibration status	:	Calibrated	Format No. : 7.8 F-07
Meteorological condition during monitoring	:	Clear Sky	Actual duration of Monitoring, (Minutes.) : 30 Minutes
Meteorological condition during monitoring		25°C ±3 °C	

Test Results

S. No.	Parameters	Unit	Results	Specifications	Test Method
1	1.0 Meter From Acoustic Surface	dB(A)	74.0	-	IS 4758:1968
2	Near Acoustic Enclosure	dB(A)	99.0	-	IS 4758:1968
3	Insertion Loss	dB(A)	25.0	-	IS 4758:1968

Remarks: Sampling done by GECPL representative


Reviewed By
Dr. Rama Srivastava
(Technical Manager)


Verified By & Authorized Signatory
Mr. Neeraj Kumar yadav
(Quality Manager)

This Report is issued under the following terms & Condition:

- Samples are not drawn by Gurukripa Enviro Care Private Limited, unless otherwise mentioned. The results relate only to the above tested sample and applicable Parameters.
- The test report in full or part shall not be used for promotional or publicity purposes without the written consent of Gurukripa Enviro Care Private Limited.
- Samples shall be stored for the period of 15 days after the date of issue of Report.

+91-97996 00577
+91-99289 11231

info@gurukripaenviro.com
www.gurukripaenviro.com

J-491/492, Near Chatrala Circle,
Sitapura Industrial Area, Jaipur-302022 (Raj.)

Approved by : NABL / MoEF & CC / CPCB and SPCB / MSME / OHSAS 45001:2018 / ISO 9001:2015 / ISO 14001:2015



GURUKRIPA ENVIRO CARE PVT. LTD.

Complete Enviro Solution




Test Report

Report No.: GECPL/N -202603/43		Date: 14/03/2026	
ULR No.: TC137572500000216F			
Name & Address of Customer	:	M/s JW Marriott Asset Area 4, Hospitality, District - Delhi Aerocity, New Delhi - 110037 New Delhi India	
Contact Person	:	-	
Sample Collection Date	:	10/03/2026	Sampling Type : NA
Sample Receipt Date	:	11/03/2026	Sample ID : N -202603/43
Sampling Location	:	DG Set- 1500 KVA Cummins & KTA - 50- G8-I Modal No. - 25371768 DG Set - 03	Sample Description : DG Noise monitoring (Insertion Loss)
Sample Collected / Submitted by	:	GECPL Team	Protocol used for monitoring : IS 4758:1968
Analysis Started On	:	11/03/2026	Analysis Completed On : 14/03/2026
Instrument calibration status	:	Calibrated	Format No. : 7.8 F-07
Meteorological condition during monitoring	:	Clear Sky	Actual duration of Monitoring, (Minutes.) : 30 Minutes
Meteorological condition during monitoring		25°C ±3 °C	

Test Results

S. No.	Parameters	Unit	Results	Specifications	Test Method
1	1.0 Meter From Acoustic Surface	dB(A)	74.6	-	IS 4758:1968
2	Near Acoustic Enclosure	dB(A)	99.4	-	IS 4758:1968
3	Insertion Loss	dB(A)	24.8	-	IS 4758:1968

Remarks: Sampling done by GECPL representative


Reviewed By
Dr. Rama Srivastava
(Technical Manager)


Verified By Authorized Signatory
Mr. Neeraj Kumar yadav
(Quality Manager)

This Report is issued under the following terms & Condition:

- > Samples are not drawn by Gurukripa Enviro Care Private Limited, unless otherwise mentioned. The results relate only to the above tested sample and applicable Parameters.
- > The test report in full or part shall not be used for promotional or publicity purposes without the written consent of Gurukripa Enviro Care Private Limited.
- > Samples shall be stored for the period of 15 days after the date of issue of Report.

+91-97996 00577
+91-99289 11231

info@gurukripaenviro.com
www.gurukripaenviro.com

J-491/492, Near Chatrala Circle,
Sitapura Industrial Area, Jaipur-302022 (Raj.)

Approved by : NABL / MoEF & CC / CPCB and SPCB / MSME / OHSAS 45001:2018 / ISO 9001:2015 / ISO 14001:2015




Test Report

Report No.: GECPL/N -202603/44		Date: 14/03/2026	
ULR No.: TC137572500000217F			
Name & Address of Customer	:	M/s JW Marriott Asset Area 4, Hospitality, District - Delhi Aerocity, New Delhi - 110037 New Delhi India	
Contact Person	:	-	
Sample Collection Date	:	10/03/2026	Sampling Type : NA
Sample Receipt Date	:	11/03/2026	Sample ID : N -202603/44
Sampling Location	:	DG Set- 1500 KVA Cummins & KTA - 50- G8-I Modal No. - 25370643 DG Set - 04	Sample Description : DG Noise monitoring (Insertion Loss)
Sample Collected / Submitted by	:	GECPL Team	Protocol used for monitoring : IS 4758:1968
Analysis Started On	:	11/03/2026	Analysis Completed On : 14/03/2026
Instrument calibration status	:	Calibrated	Format No. : 7.8 F-07
Meteorological condition during monitoring	:	Clear Sky	Actual duration of Monitoring, (Minutes.) : 30 Minutes
Meteorological condition during monitoring		25°C ±3 °C	

Test Results

S. No.	Parameters	Unit	Results	Specifications	Test Method
1	1.0 Meter From Acoustic Surface	dB(A)	74.0	-	IS 4758:1968
2	Near Acoustic Enclosure	dB(A)	99.2	-	IS 4758:1968
3	Insertion Loss	dB(A)	25.2	-	IS 4758:1968

Remarks: Sampling done by GECPL representative


Reviewed By
Dr. Rama Srivastava
(Technical Manager)


Verified By & Authorized Signatory
Mr. Neeraj Kumar yadav
(Quality Manager)

This Report is issued under the following terms & Condition:

- Samples are not drawn by Gurukripa Enviro Care Private Limited, unless otherwise mentioned. The results relate only to the above tested sample and applicable Parameters.
- The test report in full or part shall not be used for promotional or publicity purposes without the written consent of Gurukripa Enviro Care Private Limited.
- Samples shall be stored for the period of 15 days after the date of issue of Report.



TEST REPORT

Report No.: GECPL/SE-202603/50		Date: 14/03/2026	
ULR No.: TC137572500000207F			
Name & Address of Customer	M/s JW Marriott Asset Area 4, Hospitality, District - Delhi Aerocity, New Delhi - 110037 New Delhi India		
Contact Person	-		
Sample Collection Date	10/03/2026	Sampling Type	Isokinetic
Sample Receipt Date	11/03/2026	Sample ID	SE-202603/50
Sampling Location	DG Set- 1500 KVA Cummins & KTA - 50- G8-I Modal No. - 25370641 DG Set - 01	Sample Description	Stack Emission Instrument Id- GECPL/SMK/02 Fuel Used- HSD+ PNG Stack Height - 30 m Diameter - 0.07 m
Sample Collected / Submitted by	GEPCL Team	Protocol used for monitoring	IS:11255
Quantity / No. of Sample	1 Thimble, 1 SO ₂ ×50 ml, 1 NO _x ×50 ml, 1 Tedlar Bag	Analysis Started On	11/03/2026
Packing / Seal	Temp. Sealed	Analysis Completed On	14/03/2026
Type of Container	Plastic Container	Format No.	7.8 F-06
Environmental Condition during the test		25°C ±3 °C	

DG Stack Analysis Results

S. No.	Parameter	Result	Unit	Protocol used for Analysis	Maximum Allowable Limit
1	Particulate Matter as (PM) at 15% O ₂	40.36	mg/Nm ³	IS 11255 (Part 01): 1985	50
2	Sulphur Dioxide as (SO ₂) at 15% O ₂	6.02	mg/Nm ³	IS 11255 (Part 02): 1985	-
3	Oxides of Nitrogen as (NO _x) at 15% O ₂	170.6	mg/Nm ³	IS 11255 (Part 07): 1985	650

Remarks: Sampling Done by GECPL Team
Specification as Per CAQM Direction No. 76 Act 2021

Reviewed By
Dr. Rama Srivastava
(Technical Manager)



Verified By **Authorized Signatory**
Mr. Neeraj Kumar yadav
(Quality Manager)



TEST REPORT

Report No.: GECPL/SE-202603/51	Date:	14/03/2026
ULR No.: TC1375725000000208F		
Name & Address of Customer	M/s JW Marriott Asset Area 4, Hospitality, District - Delhi Aerocity, New Delhi - 110037 New Delhi India	
Contact Person	-	
Sample Collection Date	10/03/2026	Sampling Type : Isokinetic
Sample Receipt Date	11/03/2026	Sample ID : SE-202603/51
Sampling Location	DG Set- 1500 KVA Cummins & KTA - 50- G8-I Modal No. - 25371903 DG Set - 02	Sample Description : Stack Emission Instrument Id- GECPL/SMK/02 Fuel Used- HSD+ PNG Stack Height - 30 m Diameter - 0.07 m
Sample Collected / Submitted by	GEPCL Team	Protocol used for monitoring : IS:11255
Quantity / No. of Sample	1 Thimble, 1 SO ₂ ×50 ml, 1 NO _x ×50 ml, 1 Tedlar Bag	Analysis Started On : 11/03/2026
Packing / Seal	Temp. Sealed	Analysis Completed On : 14/03/2026
Type of Container	Plastic Container	Format No. : 7.8 F-06
Environmental Condition during the test	25°C ±3 °C	

DG Stack Analysis Results

S. No.	Parameter	Result	Unit	Protocol used for Analysis	Maximum Allowable Limit
1	Particulate Matter as (PM) at 15% O ₂	41.6	mg/Nm ³	IS 11255 (Part 01): 1985	50
2	Sulphur Dioxide as (SO ₂) at 15% O ₂	5.13	mg/Nm ³	IS 11255 (Part 02): 1985	-
3	Oxides of Nitrogen as (NO _x) at 15% O ₂	165.7	mg/Nm ³	IS 11255 (Part 07): 1985	650

Remarks: Sampling Done by GECPL Team
Specification as Per CAQM Direction No. 76 Act 2021

Reviewed By
Dr. Rama Srivastava
(Technical Manager)



Verified By & Authorized Signatory
Mr. Neeraj Kumar yadav
(Quality Manager)



TEST REPORT

Report No.: GECPL/SE-202603/52		Date: 14/03/2026	
ULR No.: TC137572500000209F			
Name & Address of Customer	M/s JW Marriott Asset Area 4, Hospitality, District – Delhi Aerocity, New Delhi – 110037 New Delhi India		
Contact Person	-		
Sample Collection Date	10/03/2026	Sampling Type	Isokinetic
Sample Receipt Date	11/03/2026	Sample ID	SE-202603/52
Sampling Location	DG Set- 1500 KVA Cummins & KTA – 50- G8-I Modal No. – 25371768 DG Set - 03	Sample Description	Stack Emission Instrument Id- GECPL/SMK/02 Fuel Used- HSD+ PNG Stack Height – 30 m Diameter – 0.07 m
Sample Collected / Submitted by	GEPCL Team	Protocol used for monitoring	IS:11255
Quantity / No. of Sample	1 Thimble, 1 SO ₂ ×50 ml, 1 NO _x ×50 ml, 1 Tedlar Bag	Analysis Started On	11/03/2026
Packing / Seal	Temp. Sealed	Analysis Completed On	14/03/2026
Type of Container	Plastic Container	Format No.	7.8 F-06
Environmental Condition during the test		25°C ±3 °C	

DG Stack Analysis Results

S. No.	Parameter	Result	Unit	Protocol used for Analysis	Maximum Allowable Limit
1	Particulate Matter as (PM) at 15% O ₂	37.4	mg/Nm ³	IS 11255 (Part 01): 1985	50
2	Sulphur Dioxide as (SO ₂) at 15% O ₂	4.23	mg/Nm ³	IS 11255 (Part 02): 1985	-
3	Oxides of Nitrogen as (NO _x) at 15% O ₂	180.5	mg/Nm ³	IS 11255 (Part 07): 1985	650

Remarks: Sampling Done by GECPL Team
Specification as Per CAQM Direction No. 76 Act 2021

Reviewed By
Dr. Rama Srivastava
(Technical Manager)



Verified By & Authorized Signatory
Mr. Neeraj Kumar yadav
(Quality Manager)



TEST REPORT

Report No.: GECPL/SE-202603/53		Date: 14/03/2026	
ULR No.: TC137572500000210F			
Name & Address of Customer	:	M/s JW Marriott Asset Area 4, Hospitality, District - Delhi Aerocity, New Delhi - 110037 New Delhi India	
Contact Person	:	-	
Sample Collection Date	:	10/03/2026	Sampling Type : Isokinetic
Sample Receipt Date	:	11/03/2026	Sample ID : SE-202603/53
Sampling Location	:	DG Set- 1500 KVA Cummins & KTA - 50- G8-I Modal No. - 25370643 DG Set - 04	Sample Description : Stack Emission Instrument Id- GECPL/SMK/02 Fuel Used- HSD+ PNG Stack Height - 30 m Diameter - 0.07 m
Sample Collected / Submitted by	:	GEPCL Team	Protocol used for monitoring : IS:11255
Quantity / No. of Sample	:	1 Thimble, 1 SO ₂ ×50 ml, 1 NO _x ×50 ml, 1 Tedlar Bag	Analysis Started On : 11/03/2026
Packing / Seal	:	Temp. Sealed	Analysis Completed On : 14/03/2026
Type of Container	:	Plastic Container	Format No. : 7.8 F-06
Environmental Condition during the test		25°C ±3 °C	

DG Stack Analysis Results

S. No.	Parameter	Result	Unit	Protocol used for Analysis	Maximum Allowable Limit
1	Particulate Matter as (PM) at 15% O ₂	39.8	mg/Nm ³	IS 11255 (Part 01): 1985	50
2	Sulphur Dioxide as (SO ₂) at 15% O ₂	5.21	mg/Nm ³	IS 11255 (Part 02): 1985	-
3	Oxides of Nitrogen as (NO _x) at 15% O ₂	164.3	mg/Nm ³	IS 11255 (Part 07): 1985	650

Remarks: Sampling Done by GECPL Team
Specification as Per CAQM Direction No. 76 Act 2021

Reviewed By
Dr. Rama Srivastava
(Technical Manager)



Verified By & Authorized Signatory
Mr. Neeraj Kumar yadav
(Quality Manager)



GURUKRIPA ENVIRO CARE PVT. LTD.

Complete Enviro Solution



TEST REPORT

Report No.: GECPL/S-202603/15	Date:	14/03/2026			
ULR No.: TC1375725000000218F					
Customer Name & Address	:	M/s JW Marriott Asset Area 4, Hospitality, District - Delhi Aerocity, New Delhi - 110037 New Delhi India			
Contact Person	:	-			
Date of Sample Collection	:	10/03/2026	Sampling Type	:	Composite
Date of Sample Received	:	11/03/2026	Sample ID	:	S-202603/15
Sampling Location	:	Near Gate No. - 05	Sample Description	:	Soil
Sample Collected / Submitted by	:	GECPL Team	Protocol used for Sampling	:	EPA Method/Indian Standard Method
Quantity / No. of Sample	:	1 Kg /1Nos.	Analysis Started On	:	11/03/2026
Packing / Seal	:	Temp. Sealed	Analysis Completed On	:	14/03/2026
Type of Container	:	Plastic Zip bag	Format No.	:	7.8 F-04
Environmental Condition during the test		25°C ±2 °C			

Test Results

Sr. No.	Parameters	Result	Unit	Protocol used for Analysis
1	pH	7.68	-	IS 2720 (Part 26) :2021
2	Electrical Conductivity	1730	µS/cm	IS 14767: 2021
3	Total Organic Carbon	1.42	%	GECPL/STP/C/13: 2023
4	Mercury (as Hg)	BLQ(<1.0)	mg/kg	GECPL/STP/C/07 : 2023
5	Zinc (as Zn)	52.3	mg/kg	EPA 3050 B(December 1996,Revision 02) &EPA 7000 B (February 2007, Revision 02): 2007
6	Lead (as Pb)	10.3	mg/kg	
7	Copper (as Cu)	22.0	mg/kg	
8	Arsenic (as As)	4.02	mg/kg	GECPL/STP/C/07 : 2023
9	Total Soluble Sulphate	18.2	mg/kg	IS 2720 (Part 27) :1977
10	Calcium (as Ca)	5148.9	mg/kg	IS 5949:2024
11	Magnesium (as Mg)	4187.3	mg/kg	IS 5949:2024
12	Available Potassium	3024	mg/kg	IS 9497:2024
13	Total Kjeldahl Nitrogen	BLQ(<30.0)	Kg/ha	IS:14684:1999

Reviewed By
Dr. Rama Srivastava
(Technical Manager)

Verified By & Authorized Signatory
Mr. Neeraj Kumar Yadav
(Quality Manager)

+91-97996 00577
+91-99289 11231

info@gurukripaenviro.com
www.gurukripaenviro.com

J-491/492, Near Chairala Circle,
Sitapura Industrial Area, Jaipur-302022 (Raj.)

Approved by : NABL / MoEF & CC / CPCB and SPCB / MSME / OHSAS 45001:2018 / ISO 9001:2015 / ISO 14001:2015



GURUKRIPA ENVIRO CARE PVT. LTD.

Complete Enviro Solution

TEST REPORT

Report No.: GECPL/S-202603/15	Date:	14/03/2026			
ULR No.: TC137572500000218F					
Customer Name & Address	:	M/s JW Marriott Asset Area 4, Hospitality, District - Delhi Aerocity, New Delhi - 110037 New Delhi India			
Contact Person	:	-			
Date of Sample Collection	:	10/03/2026	Sampling Type	:	Composite
Date of Sample Received	:	11/03/2026	Sample ID	:	S-202603/15
Sampling Location	:	Near Gate No. - 05	Sample Description	:	Soil
Sample Collected / Submitted by	:	GECPL Team	Protocol used for Sampling	:	EPA Method/Indian Standard Method
Quantity / No. of Sample	:	1 Kg /1Nos.	Analysis Started On	:	11/03/2026
Packing / Seal	:	Temp. Sealed	Analysis Completed On	:	14/03/2026
Type of Container	:	Plastic Zip bag	Format No.	:	7.8 F-04
Environmental Condition during the test		25°C ±2 °C			

Test Results

Sr. No.	Parameters	Result	Unit	Protocol used for Analysis
14	Chromium (as Cr)	23.0	mg/kg	EPA 3060 A/7196 A
15	Cobalt	5.23	mg/kg	EPA 3050 B(December 1996, Revision 02) & EPA 7000 B (February 2007, Revision 02): 2007
16	Fluoride (as F)	0.18	mg/kg	APHA 4500-F- B & C

Remarks: BLQ: Below limit of quantification, ND: - Not Detected

-----End Report-----


Reviewed By
Dr. Rama Srivastava
(Technical Manager)

Verified By & Authorized Signatory
Mr. Neeraj Kumar Yadav
(Quality Manager)

This Report is issued under the following terms & Condition:

- > Samples are not drawn by Gurukripa Enviro Care Private Limited, unless otherwise mentioned. The results relate only to the above tested sample and applicable Parameters.
- > The test report in full or part shall not be used for promotional or publicity purposes without the written consent of Gurukripa Enviro Care Private Limited.
- > Samples shall be stored for the period of 15 days after the date of issue of Report.

+91-97996 00577
+91-99289 11231

info@gurukripaenviro.com
www.gurukripaenviro.com

J-491/492, Near Chatrala Circle,
Sitapura Industrial Area, Jaipur-302022 (Raj.)

Approved by : NABL / MoEF & CC / CPCB and SPCB / MSME / OHSAS 45001:2018 / ISO 9001:2015 / ISO 14001:2015



GURUKRIPA ENVIRO CARE PVT. LTD.

Complete Enviro Solution



TEST REPORT

Report No.: GECPL/WW-202603/34	Date: 14/03/2026		
ULR No.: TC137572500000204F			
Customer Name & Address	M/s JW Marriott Asset Area 4, Hospitality, District - Delhi Aerocity, New Delhi - 110037 New Delhi India		
Contact Person	-		
Date of Sample Collection	11/03/2026	Sampling Type	Grab
Date of Sample Received	11/03/2026	Sample ID	WW-202603/34
Sampling Location	STP Plant	Sample Description	Waste Water STP Outlet
Sample Collected / Submitted by	GECPL Team	Protocol used for Sampling	APHA 24 th Edition
Quantity / No. of Sample	3 Litre/1Nos	Analysis Started On	11/03/2026
Packing / Seal	Temp. Sealed	Analysis Completed On	14/03/2026
Type of Container	Plastic Container	Format No.	7.8 F-01
Environmental Condition During The Test		25°C ± 2 °C	

Waste Water Analysis Results

S. No.	Name of Test	Method of Test	Test Result	Units	Limits as per Environmental (Protection Rule, 1986 (Sch-VI)
Chemical Testing					
1	pH	APHA24 th Edition 4500-H+ B: 2023	7.82	-	5.5-9.0
2	Total Dissolved Solids	APHA24 th Edition 2540-C: 2023	1052	mg/L	-
3	Total Suspended Solids (TSS)	APHA24 th Edition 2540-D: 2023	18.0	mg/L	100 (Max.)
4	Oil & Grease	APHA24 th Edition 5520 B: 2023	BLQ (<1.0)	mg/L	10 (Max.)
5	Biochemical Oxygen Demand (BOD) 3 Days at 27°C	IS 3025 (Part 44) : 2023	15.4	mg/L	30 (Max.)
6	Chemical Oxygen Demand (COD)	IS 3025 (Part 58) : 2023	100	mg/L	250 (Max.)

Remarks: Sampling done by GECPL representative

-----End Report-----

Reviewed By
Dr. Rama Srivastava
(Technical Manager)

Verified By & Authorized Signatory
Mr. Neeraj Kumar yadav
(Quality Manager)

- This Report is issued under the following terms & Condition:
- > Samples are not drawn by Gurukripa Enviro Care Private Limited, unless otherwise mentioned. The results relate only to the above tested sample and applicable Parameters.
 - > The test report in full or part shall not be used for promotional or publicity purposes without the written consent of Gurukripa Enviro Care Private Limited.
 - > Samples shall be stored for the period of 15 days after the date of issue of Report.

+91-97996 00577
+91-99289 11231

info@gurukripaenviro.com
www.gurukripaenviro.com

J-491/492, Near Chatrala Circle,
Sitapura Industrial Area, Jaipur-302022 (Raj.)

Approved by : NABL / MoEF & CC / CPCB and SPCB / MSME / OHSAS 45001:2018 / ISO 9001:2015 / ISO 14001:2015



75
Azadi Ka
Amrit Mahotsav

GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI
HEADQUARTERS: DELHI FIRE SERVICE, NEW DELHI-110001

No. F.6/DFS/MS/Hotel/2024/SZ/06

Dated: 20/02/2024

FIRE SAFETY CERTIFICATE

Certified that M/s Aria Hotels and Consultancy Services Pvt. Ltd (Project-J.W. Marriott) situated at Asset No. 04, Hospitality District, IGI Airport, Aerocity, New Delhi-110037, comprised of Three Tier Basement, Ground & Six Upper Floors was granted Fire Safety Certificate by this department vide letter No. F6/DFS/MS/Hotel/SZ/2021/21 dated 23/07/2021. The said premise was re-inspected by the officers concerned of this department on 08/02/2024 in the presence of Sh. Swaroop Raj (Director/Engg.) and observed that the said premises have deemed complied with the fire prevention and fire safety requirements in accordance with rule 33 of the Delhi Fire Service Rules, 2010 and that the building/premises is fit for occupancy Class "Mixed" (Hotel & Commercial) with effect from 20/02/2024 for a period of three years in accordance with rule 36 unless renewed under rule 37 or sooner cancelled under Rule 40 and subject to compliance of conditions under 38 of the Delhi Fire Service Rules, 2010.

Issued on 20/02/2024 at New Delhi by

(ATUL GARG)
DIRECTOR
DELHI FIRE SERVICE

Copy to: -

1. Joint Commissioner of Police (Lic.), 1st Floor, P.S. Defence Colony, New Delhi-110049
2. The CEO, DIAL, New Udaan Bhawan, Terminal-3, IGI Airport, New Delhi-110037
3. M/s Aria Hotels and Consultancy Services Pvt. Limited (Project-J W Marriott), Asset No. 04, Hospitality District, I.G.I. Airport, Aerocity, New Delhi-110037

Conditions for the validity of Fire Safety Certificate:


1. All the means of escape/entry/exit shall be kept free from any obstruction.
2. All the fire safety arrangement provided therein shall be maintained in good working conditions at all time as seen during inspection. Any loss of life property due to non-functional fire safety measures shall be at the responsibility of the management.
3. All the staff members must know the correct method of operation of fire fighting system.
4. The basement shall be used strictly as per BBL
5. The owner/occupier shall submit a declaration every year in form "K" provided in the first schedule of Delhi Fire Service Rules 2010. The form is available on www.dfs.delhigovt.nic.in
6. This fire safety certificate may not in any way be treated as regularization (Clause 2.8 of UBBL-2016) of unauthorized construction or alteration (Clause 1.4.3 of UBBL-2016), if any.
7. The owner/occupier shall apply for renewal of this Fire Safety Certificate to the Director in Form 'J' [sub rule (1) of rule 37] along with a copy of this Certificate, six months prior to its expiry.





First Aid KIT

Hotel Structure





INDRAPRASTHA GAS LIMITED

(A Joint Venture of GAIL (India) Ltd., BPCL & Govt. of NCT of Delhi)
Corporate Office : IGL BHAWAN, Plot No. 4, Community Centre, R.K.Puram,
Sector - 9, New Delhi - 110022

Retail Invoice/Bill of Supply

INVOICE

BUSINESS PARTNER NO: 4300000131

Delhi Large Commercial Post PNGRB

A UNIT OF ARIA HOTELS & CONSULT SERVICES

Invoice No. : 100041959233

J.W.MARRIOT

Invoice Date : 28.02.2026

IGI AIRPORT

Dispatch Date : 07.03.2026

HOSPITALITY DISTRICT

Due Date : 14.03.2026

NEW DELHI - 110037

Disconnection Date : 22.03.2026

Phone Number : 8527298231

HSN code - 2711

TIN No. :

Commodity-Natural Gas

GSTN :

PAN : AAGCA4627C

RTGS Details	
Beneficiary Party Name	: Indraprastha Gas Ltd.
Bank A/C Number	: IGLCOMZ4300000131
Bank IFSC Code	: IDFB0010204
Bank Name	: IDFC
Bank Address	: CMS HUB Branch, Mumbai

Billed period : 16.02.2026 - 28.02.2026

S NO	METER NO	PREVIOUS DATE	PREVIOUS READING (A)	CURRENT READING (B)	CORRECTION FACTOR(C)	CONSUMPTION D= (B - A) * C	PRICE / SCM (E)	CONSUMPTION VALUE (F=E*D)	DISCOUNT (G)	TOTAL (INR) (H=F-G)
1	3403618623	15.02.2026	3080156.45	3094450.80	1.000	14294.36	63.40	906262.30	0.00	906262.30
2	3403618638	15.02.2026	1017498.48	1024714.69	1.000	7216.21	63.40	457507.59	0.00	457507.59
TOTAL VALUE										1363769.88
									VAT	68188.49 INR
									TOTAL AMOUNT DUE (Before due date)	1431958.37 INR

Note : 1. DD / Cheque without Business Partner No. will not be accounted for against your invoice & next invoice will show arrears.

2. Please mention your Name & Tel / Mobile No. on the back of the DD / Cheque

PAN : AAACI5076R
TIN No. : 07200216284 eff. from 5th April 1999
CIN No. : L23201DL1998PLC097614
Service Tax Regn. No. : AAACI5076RST001
GSTN : 07AAACI5076R1ZZ


 (Authorised Signatory)


REMITTANCE SLIP(FOR OFFICIAL USE ONLY)

Please draw your Cheque/DD favouring "INDRAPRASTHA GAS LIMITED A/c Business Partner No 4300000131 " And submit it at any branch of IDFC bank or to Deputy Manager, Marketing - commercial segment, IGL Bhawan, RK Puram sector - 9, Delhi.


Business Partner : 4300000131	Received on:	
Name : Mr. J.W.MARRIOT	Invoice No :	100041959233
Cash <input type="checkbox"/>	Receipt No :	Date :
Cheque <input type="checkbox"/>	Demand Draft <input type="checkbox"/>	Cheque/DD No: Amount: Bank Name:

If due date persists on Sunday / Gazetted Holiday, the next date should be treated as the due date.





Hotel Structure






FIRST AID KIT

MEDIC 2500 SERIES

INTERNAL EMERGENCY CONTACTS

EHS/HR Department

Harvest P. M. Aider



EMERGENCY CONTACT NUMBERS

Nearest Hospital

Cellular

First Aid KIT

