

ARIA HOTELS & CONSULTANCY SERVICES PVT. LTD.

Aria Towers | 6th Floor | JW Marriott Hotel New Delhi Aerocity | Asset Area - 4 | Hospitality District | Aerocity |
New Delhi - 110037 | India | Tel: 011-41597325 | CIN : U74140DL2007PTC163275

e/c

Dated: 27th June, 2023

Member Secretary,
Delhi Pollution Control Committee,
4th Floor, ISBT Building,
Kashmere Gate,
Delhi-110006.



Sub: Submission of Six-Monthly Report regarding status of various Environmental Safeguards, for the period of October, 2022 to March 2023 for Compliance Assurance with conditions of Environmental Clearance (EC), as prescribed for construction of "JW Marriott" Hotel at Asset Area-4, Land Parcel-1A, Hospitality District, Delhi Aerocity, Indira Gandhi International (IGI) Airport, New Delhi.

Dear Sir

It is to put forward that M/s Aria Hotels & Consultancy Services Pvt. Ltd.(Aria) is hereby submitting six monthly Progress Report (for the period **October, 2022 to March 2023**) for the status of various Environmental Safeguards in compliance with the conditions of Environmental Clearance#71/DPCC/SEIAA-SEAC/10/1171, dated 20th July 2010, for the Operational Hotel i.e., Hotel JW Marriott at Asset Area-4, Land Parcel-1A, Hospitality District, Delhi Aerocity, IGI Airport, New Delhi, both in hard copy and soft copy Attached.

As per the conditions laid down in EC, please find enclosed Point-wise Compliance Status of stipulated Environmental Conditions along with following enclosures for your kind perusal:

1. Compliance Status to the Conditions of the EC accorded.
2. Consent to Operate (CTO) from Delhi Pollution Control Committee (DPCC)-
Applied for. Copy of payment of Fee Receipt attached.
3. Effluent Test report for STP. (Annexed)
4. Soil Monitoring Report. (Annexed)
5. Air Stack Monitoring Report (Annexed)
6. Noise Monitoring Report for D.G. Sets of 1500 KVA. (Annexed)
7. Ambient Noise Monitoring Report. (Annexed)
8. Ambient Air Monitoring Report. (Annexed)
9. Approval from Delhi Fire Service (DFS) for Fire Safety. (Annexed)
10. Hotel Structure Photograph (Attached)
11. First Aid Facility Photograph (Attached)
12. STP Structure Photograph (Attached)
13. Wet – Garbage Machine Photograph (Attached)
14. PNG Gas Connection Bill (Attached)

For Aria Hotels and Consultancy Services Pvt. Ltd.


Authorised Signatory

OWNER OF: JW MARRIOTT
NEW DELHI AEROCITY



15. *Buffer Green Belt Photograph (Annexed)*

Aria would like to take this opportunity to humbly submit here that we are an environmentally and socially responsible company dedicated to protecting human health and natural resources. We do understand that ensuring environmental compliance is a continual process and we look forward to your guidance in this regard.

We sincerely appreciate this opportunity to be under your kind consideration and look forward for a long-term, positive association with MOEF.

We hope you will find these documents in order.

Thanking you and with very best regards.

Sincerely,

For Aria Hotels & Consultancy Services Pvt. Ltd

For Aria Hotels and Consultancy Services Pvt. Ltd.

Authorized Signatory

Encl: As stated above.


Authorised Signatory

Copy to: Shri D. P. Sinha
APCCF (C) Regional Office (Central) Ministry of Environment & Forest,
Regional Office Kendriya Bhawan, Fifth Floor, Sector – H, Aliganj
Lucknow – 226024, Uttar Pradesh.

Thanking you and with very best regards.

Sincerely,

For Aria Hotels & Consultancy Services Pvt. Ltd

For Aria Hotels and Consultancy Services Pvt. Ltd.

Authorized Signatory

Encl: As stated above.


Authorised Signatory

ARIA HOTELS & CONSULTANCY SERVICES PVT. LTD.

Aria Towers | 6th Floor | JW Marriott Hotel New Delhi Aerocity | Asset Area - 4 | Hospitality District | Aerocity |
New Delhi - 110037 | India | Tel: 011-41597325 | CIN : U74140DL2007PTC163275

Dated: 27th June, 2023

Member Secretary,
Delhi Pollution Control Committee,
4th Floor, ISBT Building,
Kashmere Gate,
Delhi-110006.

Sub: Submission of Six-Monthly Report regarding status of various Environmental Safeguards, for the period of October, 2022 to March 2023 for Compliance Assurance with conditions of Environmental Clearance (EC), as prescribed for construction of "JW Marriott" Hotel at Asset Area-4, Land Parcel-1A, Hospitality District, Delhi Aerocity, Indira Gandhi International (IGI) Airport, New Delhi.

Dear Sir

It is to put forward that M/s Aria Hotels & Consultancy Services Pvt. Ltd.(Aria) is hereby submitting six monthly Progress Report (for the period *October, 2022 to March 2023*) for the status of various Environmental Safeguards in compliance with the conditions of Environmental Clearance#71/DPCC/SEIAA-SEAC/10/1171, dated *20th July 2010*, for the Operational Hotel i.e., Hotel JW Marriott at Asset Area-4, Land Parcel-1A, Hospitality District, Delhi Aerocity, IGI Airport, New Delhi, both in hard copy and soft copy Attached.

As per the conditions laid down in EC, please find enclosed Point-wise Compliance Status of stipulated Environmental Conditions along with following enclosures for your kind perusal:

1. Compliance Status to the Conditions of the EC accorded.
2. Consent to Operate (CTO) from Delhi Pollution Control Committee (DPCC)-
Applied for. Copy of payment of Fee Receipt attached.
3. Effluent Test report for STP. (Annexed)
4. Soil Monitoring Report. (Annexed)
5. Air Stack Monitoring Report (Annexed)
6. Noise Monitoring Report for D.G. Sets of 1500 KVA. (Annexed)
7. Ambient Noise Monitoring Report. (Annexed)
8. Ambient Air Monitoring Report. (Annexed)
9. Approval from Delhi Fire Service (DFS) for Fire Safety. (Annexed)
10. Hotel Structure Photograph (Attached)
11. First Aid Facility Photograph (Attached)
12. STP Structure Photograph (Attached)
13. Wet – Garbage Machine Photograph (Attached)
14. PNG Gas Connection Bill (Attached)

For Aria Hotels and Consultancy Services Pvt. Ltd.

Authorised Signatory

OWNER OF : JW MARRIOTT
NEW DELHI AEROCITY

15. *Buffer Green Belt Photograph (Annexed)*

Aria would like to take this opportunity to humbly submit here that we are an environmentally and socially responsible company dedicated to protecting human health and natural resources. We do understand that ensuring environmental compliance is a continual process and we look forward to your guidance in this regard.

We sincerely appreciate this opportunity to be under your kind consideration and look forward for a long-term, positive association with MOEF.

We hope you will find these documents in order.

Thanking you and with very best regards.

Sincerely,

For Aria Hotels & Consultancy Services Pvt. Ltd

For Aria Hotels and Consultancy Services Pvt. Ltd.

Authorized Signatory


Authorised Signatory

Encl: As stated above.

Copy to: Shri D. P. Sinha
APCCF (C) Regional Office (Central) Ministry of Environment & Forest,
Regional Office Kendriya Bhawan, Fifth Floor, Sector – H, Aliganj
Lucknow – 226024, Uttar Pradesh.

Thanking you and with very best regards.

Sincerely,

For Aria Hotels & Consultancy Services Pvt. Ltd

For Aria Hotels and Consultancy Services Pvt. Ltd.

Authorized Signatory


Authorised Signatory

Encl: As stated above.

Six monthly EC compliance report

Project name: construction of M/s JW MARRIOTT HOTEL- Delhi Aero city, at asset no - 04, hospitality district, DIAL IGI AIRPORT, NEW DELHI - 110037.

PROJECT PROPONENT:

M/s JW MARRIOTT HOTEL - Delhi Aero city,
Asset No: 04, Hospitality District (DIAL) IGI Airport, New Delhi - 110037

CONSULTANT:

FRIEND'S ENVIRO ENGINEERS,
NEW DELHI-110044.

EC LETTER NO. F NO. 71/DPCC/SEIAA-SEAC/10/1171

REPORTING PERIOD: Oct-2022 - March-2023.

SN	EC CONDITION	COMPLIANCE STATUS	SUPPORTING DOCUMENTS
PART - A SPECIFIC PHASE			
1. CONSTRUCTION PHASE			
1	Construction to be started after consent to establish has been obtained from Delhi pollution control committee under air and water Acts and a copy shall be submitted to the SEAC-NCT Delhi, failing which project shall be discontinued.	Complied with the conditions. (Consent to operate renewal has already apply to DPCC portal and vide application No- 845413189 dated -12-3-2023	Complied with the condition (consent to operate renewal has already applied) copy of fee receipt attached as Annexure
2	A first aid room to be provided in the project both during construction and operation phase.	Complied with the conditions. (A first aid room with required medicine and dedicated paramedical is present at site. All the first aid supplies are checked and refilled on monthly basis.).	Complied with the conditions
3	Provision shall be made for the housing of construction labor within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP Safe drinking water, medical health care, crèche etc. The housing may be in the form temporary structures to be removed after completion of the project. The safe disposal off waste water and solid wastes generated during construction phase should be ensured.	Complied with the conditions. (All civil work completed for construction phase, there is no requirement of labour camp).	Complied with the conditions.
4	Health and safety norms of CPWD are be followed during construction.	Complied with the conditions. (A dedicated HSE plan has been developed for construction phase of the project considering the code/ norms specified by CPWD and National Building Code of India, 2005).	Complied with the conditions.
5	Top Soil Excavated during construction activates should be stored for horticulture/ Landscape development with site.	Complied with the conditions.	Complied with the conditions.
6	Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites within the approval of competent authority.	Complied with the conditions.	Complied with the conditions.
7	Proper measures should be adopted to control dust emissions during construction phase.	Complied with the conditions. (All civil work has been completed)	Complied with the conditions.

For Aria Hotels and Consultancy Services Pvt. Ltd.

Authorised Signatory

8	Soil and water samples of the site should be tasted by the proponent through DPCC recognized laboratory to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants on quarterly basis for inclusion in the six monthly reports.	Complied with the conditions (All test report is being conduct by NABL/MoEF certified lab)	Complied with the conditions, (STP outlet test report is being conducted at half yearly interval by CATTs labs & Research Pvt. Ltd at presented in Annexure.
9	Construction spoils, including bituminous material and other hazardous materials, must not be allowed to contaminate watercourse and the dump site for such material must be secured so that they should not leach into the ground water. If necessary, oil trap should be installed where there is deployment of heavy machineries	Complied with the conditions. (All civil work completed at our site No Bituminous materials at our site).	Complied with the conditions.
10	Any hazardous waste generated during construction and operation phase should be disposed off as per the applicable rules and norms with necessary approvals to the Delhi Pollution Control Committee.	Complied with the conditions.	Complied with the conditions.
11	The diesel generator sets to be used during construction phase should have acoustic enclosures with low Sulphur diesel type and should conform to Environment Protection Rules prescribed for air and noise emission Standards.	Complied with the conditions.	Complied with the conditions. (D.G. Set monitoring Reports are providing as Annexure.
12	The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from chief Controller of explosives shall be taken.	Complied with the conditions.	Complied with the conditions, i.e- (Diesel Storage license & consumption records attached as Annexure
13	Vehicles hired for bring contraction material to the site should have a Pollution check certificate and should conform to applicable air and noise emissions standards and should be covered (specially excavated soil before transportation to avoid fugitive emissions etc.	Complied with the conditions.	Complied with the conditions.
14	Ambient noise levels should conform to prescribed residential standards to prescribed residential standards both during day and night. Only limited necessary construction should be done during night time. Adequate measures should be made to reduce ambient air and noise level during construction and operation phase so as to conform to the norms stipulate by CPCB/DPCC. Ambient air and noise monitoring should be also be submitted in six monthly basis.	Complied with the conditions.	Complied with the conditions, (Ambient noise monitoring report attached) as Annexure.

For Aria Hotels and Consultancy Services Pvt. Ltd.

Authorised Signatory

15	Thick green belt of the adequate width and density as per plan submitted, shall be raised along the periphery of the plot as to provide protection against particulates and noise. 700 trees of native species should be planted and the species should be selected from the list of trees approved by airport authority.	Complied with the conditions.	Complied with the conditions, (We have already developed buffer green belt photo on which attached in Annexure.
16	Rain water harvesting as per plan submitted for roof top run off and surface runoff should be implemented before recharging the surface run off, pre treatment must be done to remove suspended matter oil and grease. The depth of bore for rainwater recharging should be kept in consultation with DJB no waste water (Such as sewage, trade effluent, backwash of treatment unit, floor washing water etc) should be disjuncture in order to avoid groundwater contamination.	Complied with the conditions.	Complied with the conditions.
17	No ground water withdrawal during construction and operation phase	Complied with the conditions.	Complied with the conditions.
18	Fly ash should be used as building material in the construction as per the provision of Ash Notification of September, 1999 and amended as on 27 th August, 2003	Complied with the conditions.	Complied with the conditions.
19	Ready mix concrete must be used in building construction.	Complied with the conditions.	Complied with the conditions.
20	Water demand during construction should be reduced by use of pre mixed concrete curing agents and other best practices preferred.	Complied with the conditions.	Complied with the conditions.
21	Fixtures for showers toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing device or sensor based control.	Complied with the conditions. (Conditions accepted and are being followed).	Complied with the conditions.
22	Energy Conservation building code to be strictly adopted in all aspects of building design and construction.	Complied with the conditions.	Complied with the conditions.
23	Approval of competent authority shall be obtained for structural safety of the building due to earthquake adequacy etc. as per national Building Code including Protection measures from lightning etc.	Complied with the conditions and have stability certificate by Mr. S.K. Nandi- Member, Institutional of Structural Engineers London- U.K- Member ship No- 020096041 and Member association of consulting engineers India.- membership No- 133	Complied with the conditions.
24	Clearance from airport Authority of India should be obtained for building height.	Complied with the conditions. (Clearance from airport has already obtained and same was provided with first EC compliance)	Complied with the conditions.

For Aria Hotels and Consultancy Services Pvt. Ltd.

Authorised Signatory

25	Regular supervision of the above and other measures for mentoring should be in place all through the construction phase so as to avoid disturbance to all surroundings.	Complied with the conditions.	Complied with the conditions.
II OPERATION PHASE			
1	Consent to operate under Air and Water Acts shall be obtained from DPCC before operation, failing which the Environmental Clearance herein shall be deemed to be withdrawn.	We have already apply to consent to operate renewal receipt No-845413189 dated 12-3-2023.	Complied with the conditions. Consent to operate renewal has already applied to DPCC Portal copy of fee Receipt attached as Annexure .
2.	The zero wastewater discharge condition to be achieved with installation of onside Sewage Treatment Plant. The STP should be certified by an independent expert and adequacy report in this regard should be submitted to Delhi Pollution Control Committee before the project is commissioned for operation. Necessary measures should be made to mitigate the odor problem from STP.	Complied with the conditions. (The Installations of STP have certified by an independent expert from Jamia university and a report of the same was submitted to the concerned authority. 100 % of the treated effluent are doing recycled in flushing, horticulture and cooling purpose and The solid waste are doing segregate at the source into bio - degradable, recyclable and dry / inert waste. The biodegradable part will be composted)	Complied with the conditions. (As per policy of DPCC we are using total treated waste water reused for Flushing and Gardening, cooling towers etc.)
3	The Solid waste (dry as well as wet garbage) generated should be properly collected and segregated. Biodegradable (Wet) garbage generated should be converted to compost or biogas by suitable technology. Non biodegradable waste should be outsourced properly after recovery of recyclable be taken to prevent odor problem.	Complied with the conditions. (The company is complying with proper collection and segregation of solid waste (WET & Dry).	Complied with the conditions. (Organic Waste- Biogas Converter - OWC has been installed at site as per notification of SDMC
4.	All the Solid Waste Should be managed and converted into energy by DIAL for whole Aero city area.	Delhi International Air Port Ltd (DIAL) shall be managing the Solid waste for the whole Delhi Aero city Area.	Complied with the condition
5.	Utilization of diesel power generating sets is subject to power failure condition only. The DG sets proposed as a source of power back up of during operation phase should be of enclosed type, low sculpture diesel run and conform to rules made under the Environment (Protection) Act in 1986. The DG sets should be subjected to periodic noise and stack monitoring in consultation with DPCC Waste / used diesel should be stored and managed and be sold to CPCB approved recyclers. Clearance from all should be obtained for stack height of DG set. The location of the DG sets may be decided in consultation with the competent authority.	The power supply in operational phase will be provided by BSES However, the DG will be kept as a backup support. For 1500 KVA each x4 Nos and the monitoring of DG sets Stack test report is being conducted by CATT'S LABS & RESEARCH PVT. LTD.	The power supply in the hotel for operation phase will be provided by BSES. However DG will be kept as backup support and start installation work for convert PNG operation of DG Sets as early (copy of Stack monitoring test report attached in Annexure

For Aria Hotels and Consultancy Services Pvt. Ltd.

Authorised Signatory

6.	Traffic congestion near the entry and exit Points from the roads adjoining the project site must be avoided. Parking should be fully internalized as per the competent Authority and no public space should be utilized.	Entry and Exit Points to the complex have been worked out, keeping in view the desired movement of vehicles and surrounding road network. Wide internal roads have been provided for vehicular movement. We have provided 714 ECS basement parking	Entry and Exit Points to the complex have been worked out, keeping in view the desired movement of vehicles and surrounding road network. Wide internal roads have been provided for vehicular movement. We have provided 714 ECS basement parking
7.	Energy conservation measures such as solar lighting for common areas solar water heating system, CFL/ TFL for lighting of areas, LED light for signage, solar inverters etc should be adopted.	All possible energy conservation measures have been adopted in the project; we have solar lighting for guest room corridors, heat pumps for hot water & cooling generation and LED lighting for Guest rooms and public areas. The company strives to follow energy conservation building code and maximize on energy efficiency and we are in process of applying for LEED gold certification. We would like our hotel to be a modern building recognized as one of the most ideal green building of Delhi.	Complied with the conditions) copy attached as Annexure.
8	Used CF/TFL should be properly collected and disposed off/sent for recycling as per the regulatory authority to avoid mercury contamination.	LED lightings have been provided in most of the places to attain significant energy efficiency. And if any CFL would be used. We have made the arrangements of their safe storage and disposal.	Complied with the conditions (Condition accepted and have been provided)
9	A report on energy conservation measure conforming to energy conservation norms finalized by Bureau of energy Efficiency should be prepared incorporating details about building mater rails and technology, R & U factors etc. and submit a copy to ministry of Environment and forests, Regional office Chandigarh and DPCC in three months with intimation to SEIAA.	The energy conservation measures as finalized by Bureau of Energy Efficiency and We would prepare a report and submit it to DPCC and MOEF regional office Lucknow.	Complied with the conditions

For Aria Hotels and Consultancy, 

Authorised Signatory

GENERAL CONDITION			
1	The environmental safeguards and monitoring schedule as contained in the EMP should be implemented in letter and spirit and there will be no departure from the final project proposal as approval herein.	Monitoring has been carried out as per the conditions given in EC letter issued by Honorable SEAC-SEIAA, NCT of Delhi.	We have made every possible effort to adhere to various environmental safeguarding and protection measures as per our submissions to SEAC-SEIAA, NCT of Delhi
2	Corporate Social Responsibility should be carried out per action plan and budget submitted.	CSR is being carried out as per action plan and budget submitted to SEAC-NCT of Delhi from 2012-2013 as per the plan submitted along with from 1 & 1A to the authority	Subsequent presentation to SEAC-NCT of Delhi
3	Official from Ministry of Environment and forest, regional Office Lucknow and Delhi Pollution Control Committee who would be monitoring the implementation of environmental safeguard should be given full cooperation, facilities and document / data on site by the project proponents during their site inspection. A complete set of all the documents submitted and to SEAC should be forwarded to Ministry monitoring reports should also be submitted to Ministry of Environment and forests, regional office, Lucknow and forests regional Office, Lucknow and DPCC.	Conditions accepted with Complete sets of all documents had been submitted to DPCC office and other duplicate copy to MOEF regional Office at Lucknow.	Complete sets of all documents had been submitted to Parivesh web, and portal receipt submit to DPCC office and other duplicate copy to MOEF regional Office at Lucknow.
4	In case of any change in the scope of the project would require a fresh appraisal by the SEAC.	Compliance to this condition will be ensured.	Condition followed
5	In compliance to Hon'ble High Court's Order dated 7 th August 2008. Use sale and storage of all kinds of plastic bags shall be forbidden.	It shall be ensured that use, sale and storage of all kinds of plastic bags are forbidden and company would be abiding by the plastic waste management Rules 2016 as amended to date	Plastic/ carry bags not used by the hotel.
6	E- waste generated in the complex should be managed as per CPCB guidelines on E- waste management and disposed through approved E-waste recyclers	It shall be ensured that e-waste generated in the complex is managed as per CPCB guidelines and shall be disposed through approved e-waste recyclers.	Condition followed

For Aria Hotels and Consultancy Services Pvt. Ltd.

Authorized Signatory

7	State Environmental Impact Assessment Authority reserves the right to additional safeguard measures subsequently. If found necessary and to take action including the revoking of the environmental (Protection) Act, 1986 to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	We respect the esteemed panel of the SEAC and would abide by their advice for environmental protection	Condition followed
8	All other statutory clearance such as the approvals for storage of diesel from chief Controller of Explosives, fire department Civil Aviation Department etc. shall be obtained as applicable by project proponents from the respective competent authority.	We have obtained all the required statutory clearance form respective authorities from Addl. Commissioner (Licensing), Delhi police for storage of petroleum class-B HSD, copy of approvals from Delhi fire department (DFS), structural safety approval, NOC for Height clearance from Airport Authority of India (AAI) and Approval from Delhi Urban Art commission (DUAC) Copies of approvals obtained were provided with previous EC compliance reports.	All applicable approvals from respective authorities have been submitted.
9	These stipulation would be enforced among other under the provisions of water (Prevention and Control) Pollution Act 1974. The air (Prevention and Control) 1981. The Environment (Prevention) Act, 1985. The Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.	Compliance to this condition has ensured The advertisement about the grant of Environmental clearance to JW Marriott hotel have been published in the Newspapers- The Statesman (English) Dated 10 th August 2010.	Compliance to this condition has ensured
10	The project proponent should prominently advertise in at least two local Newspapers widely circulated in the region indicating that the project has been accorded Environmental Clearance and the copy of clearance is available with the DPCC and may also be seen on the website of DPCC at http://www.dpcc.delhigovt@nic.in . The advertisement should be made within 10days from the date of receipt of the clearance letter.	Compliance to this condition has ensured The advertisement about the grant of Environmental clearance to JW Marriott hotel have been published in the News papers- The Statesman (English) Dated 10 th August 2010 and Veer Arjun (Hindi) dated 10 th August 2010. Copies of the advertisement have already been submitted in our first compliance report submitted in December 2010.	Compliance to this condition has ensured
11	The project proponent should submit copy of Environmental Clearance to the Heads of local bodies, Panchayats and Municipal bodies in addition to relevant offices of Government who in return has to display the same for 30 days from the date of receipt.	This has been complied with Delhi International Airport Pvt. Ltd (DIAL) has right to operate the Delhi Airport for a period of 30 years, which is further extendable for a further period of 30 years through into an operation, management and development agreement with AAI, therefore, DIAL is the local body providing all the necessary amenities to the Delhi Aero city area like provision for water and electricity supply. Waste water collection and its treatment, storm water	Condition complied with

For Aria Hotels and Consultancy Services Pvt. Ltd.

Authorised Signatory

		collection systems, soiled waste management etc. a copy of the Environment clearance has been submitted to DIAL in this Regard.	
12	An appeal against this Environmental Clearance shall lie with the National Environment Appellate Authority, if preferred within a period of 30 days as prescribed under Section 11 of the National Environment Appellate Act, 1997.	Noted	
13	Status of compliance to the various stipulated environmental conditions and environmental safeguards will be uploaded by the project proponent in be uploaded by the project proponent in its website.	This compliance report would be published on company's website for public as early.	Uploading the status report to Parivesh Portal web site.

For Aria Hotels and Consultancy Services Pvt. Ltd.

Authorised Signatory

ANNEXTURE – Ambient Air monitoring Report

TEST REPORT

Issued to :
JW Marriott
 Asset Area 4, Hospitality District Delhi,
 Aerocity, New Delhi-110037
 Delhi, India

J.O. No. : ENV20230627-009-027
 ULR Code : TC5503 23 3 00008310 F
 Report Date : 30-06-2023
 Sample Receipt Date : 27-06-2023
 Account Manager : BD Team 3
 Credit Manager : Septesh Kumar



Customer Provided Information:

Nature of the Sample : Ambient Air
 Sampling Location : Near Gate No.-5

Laboratory Provided Information:

Date of Sampling : 26-06-2023
 Time of Sampling : 10:30 AM
 Test Started On : 27-06-2023
 Test Completed On : 30-06-2023
 Purpose of Monitoring : To Assess the Pollution Load
 Method of Sampling : IS-5182 (P-14) & FL/SOP/ENV/D-01
 Average Flow Rate (m³/min) (PM₁₀) : 1.18
 Avg. Flow Rate of Air (lpm) (for Benzene) : 0.2
 Avg. Flow Rate of Air (lpm) (PM_{2.5}) : 16.7
 Ambient Temperature (°C) : 34
 Duration of Sampling : 24hrs



Analysis Report

S. No.	Parameters	Unit	Test Results	NAAQS* (Maximum Allowable Limit)	Test Method
Chemical Analysis					
1	Particulate Matter (PM _{2.5})	µg/m ³	45.16	60	FL/SOP/ENV-01
2	Particulate Matter (PM ₁₀)	µg/m ³	89.25	100	IS:5182 (P-23)
3	Sulphur Dioxide (SO ₂)	µg/m ³	8.96	80	IS:5182 (P-2)
4	Nitrogen Dioxide (NO ₂)	µg/m ³	15.42	80	IS:5182 (P-6)
5	Carbon Monoxide (CO)	mg/m ³	1.87	2	IS:5182 (P-10)
6	Ammonia (NH ₃)	µg/m ³	26.79	400	Methods of Air Sampling & Analysis (401)
7	Ozone (O ₃)	µg/m ³	7.43	100	IS:5182 (P-9)
8	Benzo (a) Pyrene (BaP)	ng/m ³	ND, [DL-0.5]	NA	Methods of Air Sampling & Analysis (102)
9	Benzene (C ₆ H ₆)	µg/m ³	ND, [DL-0.5]	5	FL/SOP/GC-46
Heavy Metals					
10	Lead (as Pb)	µg/m ³	ND, [DL-0.5]	1	FL/SOP/ENV-18
11	Nickel (Ni)	ng/m ³	ND, [DL-0.5]	20	FL/SOP/ENV-18
12	Arsenic (As)	ng/m ³	ND, [DL-0.5]	6	FL/SOP/ENV-18

*NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 16.11.2009

Inference: The tested sample of Ambient Air for above mentioned location conforms to NAAQS 2009.


 Reviewed By


 Authorised Signatory
 D. Mathur, Director

NOTE: The laboratory accepts the responsibility for content of reports. The results contained in this test report pertain only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total Liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227.
 #: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to :
JW Marriott
Asset Area 4, Hospitality District Delhi,
Aerocity, New Delhi-110037
Delhi, India

J.O. No. : ENV20230627-010-028
ULR Code : TC5503 23 3 00008311 F
Report Date : 30-06-2023
Sample Receipt Date : 27-06-2023
Account Manager : BD Team 3
Credit Manager : Septesh Kumar



Customer Provided Information: #

Nature of the Sample : **Indoor Air**
Sampling Location : **Room No. 6028**

Laboratory Provided Information:

Date of Sampling : 26-06-2023
Time of Sampling : 10:15 AM
Test Started On : 27-06-2023
Test Completed On : 30-06-2023
Purpose of Monitoring : **To Check Pollution Load**
Method of Sampling : **IS-5182 (P-14)& FL/SOP/ENV/D-04**
Temperature (°C) : 21.5
Avg. Flow Rate of Air (lpm) (TVOC) : 0.2
Avg. Flow Rate of Air (lpm) : 0.5



Analysis Report

S. No.	Parameters	Unit	Test Results	OSHA 3430-4:2011 Standards* (Maximum Allowable Limit)	Test Method
Chemical Analysis					
1	PM _{2.5} (Respirable)	mg/m ³	0.052	5	FL/SOP/ENV-19
2	PM ₁₀ (Total)	mg/m ³	0.127	15	FL/SOP/ENV-19
3	Nitrogen Dioxide (NO ₂)	ppm	0.035	5	IS:5182 (P-6)
4	Sulphur Dioxide	ppm	0.018	5	IS:5182 (Part-2)
5	Formaldehyde	ppm	0.12	0.75	Methods of Air Sampling & Analysis (116)
6	Air Movement	m/s	0.15	NA	FL/SOP/ENV-03
7	Relative Humidity	%	56	NA	FL/SOP/ENV-02
8	Carbon Dioxide	ppm	541.78	5000	FL/SOP/GC-25
9	Carbon Monoxide	ppm	1.35	50	FL/SOP/GC-25
10	Total VOCs	ppm	ND, [DL-0.01]	NA	FL/SOP/GC-46

*OSHA 3430-04:2011- Occupational Safety and Health Administration Standards for Indoor Air Quality in Commercial and Institutional Buildings, US department of Labour, USA.

[Signature]
Reviewed By

[Signature]
Authorised Signatory
D. Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at lab@farelabs.com and call at +91 9599221227.
*: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

ANNEXTURE – Effluent Test Report of S.T.P

TEST REPORT

Issued to :

JW Marriott
Asset Area 4, Hospitality District Delhi,
Aerocity, New Delhi-110037
Delhi, India

J.O. No. : W20230626-025-043
ULR Code : TC5503 23 2 00017358 F
Report Date : 01-07-2023
Sample Receipt Date : 26-06-2023
Account Manager : BD Team 3
Credit Manager : Septesh Kumar



Customer Provided Information: #

Nature/Name of the Sample : **STP Outlet Water**
Location : **STP Plant**

Laboratory Provided Information:

Sample Quantity & Packaging : 1 Litre x 3, Pet Bottle
Test started on : 26-06-2023
Test Completed : 01-07-2023
Method of Sampling : FL/SOP/B/D-1
Date of Sampling : 26-06-2023
Sample Collected by : Mr. Ankur (FARE LABS Representative)



Analysis Report

Physical Description : Clear water.

S. No.	Parameters	Unit	Test Results	Specification as per CPCB* Guidelines for STPs# (Inland for Surface Water), 2017	Method
Physical Analysis					
1	pH Value	--	7.70	6.5-9.0	IS 3025 (P-11)
2	Total Dissolved Solids	mg/L	856	-	IS 3025 (P-16)
3	Total Suspended Solids	mg/L	12	50 Max	IS 3025 (P-17)
Chemical Analysis					
4	Biochemical Oxygen Demand, @ 27°C For 3 Days	mg/L	6	20 Max	IS 3025 (P-44)
5	Chemical Oxygen Demand	mg/L	50	250 Max	IS 3025 (P-58)
6	Oil And Grease	mg/L	ND, (LOQ-2)	10 Max	IS 3025 (P-39)
7	Total Phosphate (as P)	mg/L	1.80	-	APHA 23 rd Ed.

#STPs= Sewage Treatment Plants
*CPCB= Central Pollution Control Board.
ND= Not Detected; LOQ= Limit of Quantification

Inference: The tested sample of water conforms to CPCB Guidelines for STPs (Inland Surface Water),2017 with respect to above tests only.


Reviewed By


Authorised Signatory
B Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertain only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate, unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE LABS, the authenticity and genuineness of this report at feedback@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221127.
#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

ANNEXTURE – Air Stack monitoring Report

TEST REPORT

Issued to :
JW Marriott
 Asset Area 4, Hospitality District Delhi,
 Aerocity, New Delhi-110037
 Delhi, India

J.O. No. : ENV20230627-007-020
 ULR Code : TC5503 23 3 00008303 F
 Report Date : 30-06-2023
 Sample Receipt Date : 27-06-2023
 Account Manager : BD Team 3
 Credit Manager : Septesh Kumar



Customer Provided Information:

Nature of the Sample : Stack Emissions
 Make & Model No. : Cummins & KTA-50-G8-I
 Engine No. : 25370641
 Rated Capacity : 1500 KVA
 Type of Stack /Duct : Metal
 Stack Height from Ground Level (m) : 30
 Diameter of the Stack (m) : 0.07
 Operation Load During Monitoring : 1200 KVA

Laboratory Provided Information:

Date of Sampling : 26-06-2023
 Time of sampling : 11:15 AM
 Test Started On : 27-06-2023
 Test Completed On : 30-06-2023
 Purpose of Monitoring : To Check Pollution Load
 Name of the Emission Source Monitoring : DG Set- 1
 Sampling Method : IS-11255 (P-7, P-3)& FL/SOP/ENV/D-02
 Stack Identification : Stack attached to DG Set- 1
 Normal Operating Schedule : As per requirement
 Sampling Duration (min) : 32
 Flue Gas Temperature °C : 119.5
 Ambient Air Temperature °C : 34.6
 Flue Gas Velocity (m/s) : 9.37
 Volumetric Flow Rate (Nm³/h) : 98.51



Analysis Report

S. No.	Parameters	Unit	Test Results	Specification as Per CPCB* (Maximum Allowable Limit)	Test Method
Chemical Analysis					
1	Carbon Monoxide at 15% O ₂	mg/Nm ³	56.32	150	FL/SOP/ENV-26
2	Non Methane Hydrocarbons (as C) at 15% O ₂	mg/Nm ³	5.12	100	FL/SOP/GC-24
3	Oxides of Nitrogen (as NO ₂) at 15% O ₂	ppmv	134.57	710	IS:11255 (P-7)
4	Particulate matter at 15% O ₂	mg/Nm ³	42.15	75	IS:11255 (P-1)
5	Sulphur Dioxide	mg/Nm ³	16.43	NA	IS:11255 (P-2)

NA= Not Applicable; *CPCB= Central Pollution Control Board.


 Reviewed By


 Authorised Signatory
 D. Mathur, Director

Page 1 of 1

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertain only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227.
 #: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

*****End of Report*****

TEST REPORT

Issued to :

JW Marriott
Asset Area 4, Hospitality District Delhi,
Aerocity, New Delhi-110037
Delhi, India

J.O. No. : ENV20230627-007-022
ULR Code : TC5503 23 3 00008305 F
Report Date : 30-06-2023
Sample Receipt Date : 27-06-2023
Account Manager : BD Team 3
Credit Manager : Septesh Kumar



Customer Provided Information: #

Nature of the Sample	: Stack Emissions
Make & Model No.	: Cummins & KTA-50-G8-I
Engine No.	: 25371768
Rated Capacity	: 1500 KVA
Type of Stack /Duct	: Metal
Stack Height from Ground Level (m)	: 30
Diameter of the Stack (m)	: 0.07
Operation Load During Monitoring	: 1205 KVA



TC - 5503

Laboratory Provided Information:

Date of Sampling	: 26-06-2023
Time of sampling	: 12:40 PM
Test Started On	: 27-06-2023
Test Completed On	: 30-06-2023
Purpose of Monitoring	: To Check Pollution Load
Name of the Emission Source Monitoring	: DG Set- 3
Sampling Method	: IS-11255 (P-7, P-3)& FL/SOP/ENV/D-02
Stack Identification	: Stack attached to DG Set- 3
Normal Operating Schedule	: As per requirement
Sampling Duration (min)	: 33
Flue Gas Temperature °C	: 123.4
Ambient Air Temperature °C	: 34
Flue Gas Velocity (m/s)	: 9.42
Volumetric Flow Rate (Nm ³ /h)	: 98.06

Analysis Report

S. No.	Parameters	Unit	Test Results	Specification as Per CPCB* (Maximum Allowable Limit)	Test Method
Chemical Analysis					
1	Carbon Monoxide at 15% O ₂	mg/Nm ³	51.89	150	FL/SOP/ENV-26
2	Non Methane Hydrocarbons (as C) at 15% O ₂	mg/Nm ³	5.96	100	FL/SOP/GC-24
3	Oxides of Nitrogen (as NO ₂) at 15% O ₂	ppmv	124.78	710	IS:11255 (P-7)
4	Particulate matter at 15% O ₂	mg/Nm ³	43.74	75	IS:11255 (P-1)
5	Sulphur Dioxide	mg/Nm ³	14.79	NA	IS:11255 (P-2)

NA= Not Applicable; *CPCB= Central Pollution Control Board.


Reviewed By


Authorised Signatory
D. Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227.
The details are received from Customer on its own responsibility. FARE Labs does not confirm about it and hence does not take any responsibility whatsoever.

*****End of Report*****

TEST REPORT

Issued to :
JW Marriott
 Asset Area 4, Hospitality District Delhi,
 Aerocity, New Delhi-110037
 Delhi, India

J.O. No. : ENV20230627-007-021
 ULR Code : TC5503 23 3 00008304 F
 Report Date : 30-06-2023
 Sample Receipt Date : 27-06-2023
 Account Manager : BD Team 3
 Credit Manager : Septesh Kumar



Customer Provided Information:

Nature of the Sample	: Stack Emissions
Make & Model No.	: Cummins & KTA-50-G8-I
Engine No.	: 25371903
Rated Capacity	: 1500 KVA
Type of Stack /Duct	: Metal
Stack Height from Ground Level (m)	: 30
Diameter of the Stack (m)	: 0.07
Operation Load During Monitoring	: 1205 KVA

Laboratory Provided Information:

Date of Sampling	: 26-06-2023
Time of sampling	: 12:00 PM
Test Started On	: 27-06-2023
Test Completed On	: 30-06-2023
Purpose of Monitoring	: To Check Pollution-Load
Name of the Emission Source Monitoring	: DG Set- 2
Sampling Method	: IS-11255 (P-7, P-3)& FL/SOP/ENV/D-02
Stack Identification	: Stack attached to DG Set- 2
Normal Operating Schedule	: As per requirement
Sampling Duration (min)	: 32
Flue Gas Temperature °C	: 114.6
Ambient Air Temperature °C	: 34.6
Flue Gas Velocity (m/s)	: 9.32
Volumetric Flow Rate (Nm ³ /h)	: 99.22



Analysis Report

S. No.	Parameters	Unit	Test Results	Specification as Per CPCB* (Maximum Allowable Limit)	Test Method
Chemical Analysis					
1	Carbon Monoxide at 15% O ₂	mg/Nm ³	61.54	150	FL/SOP/ENV-26
2	Non Methane Hydrocarbons (as C) at 15% O ₂	mg/Nm ³	6.37	100	FL/SOP/GC-24
3	Oxides of Nitrogen (as NO ₂) at 15% O ₂	ppmv	127.43	710	IS:11255 (P-7)
4	Particulate matter at 15% O ₂	mg/Nm ³	47.83	75	IS:11255 (P-1)
5	Sulphur Dioxide	mg/Nm ³	13.25	NA	IS:11255 (P-2)

NA= Not Applicable; *CPCB= Central Pollution Control Board.

[Signature]
 Reviewed By

[Signature]
 Authorised Signatory
 D. Mathur, Director

NOTE: The laboratory accepts the responsibility for content of reports. The results contained in this test report pertain only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227.
 *! The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to :

JW Marriott

Asset Area 4, Hospitality District Delhi,
Aerocity, New Delhi-110037
Delhi, India

J.O. No. : ENV20230627-007-023
ULR Code : TC5503 23 3 00008306 F
Report Date : 30-06-2023
Sample Receipt Date : 27-06-2023
Account Manager : BD Team 3
Credit Manager : Septesh Kumar



Customer Provided Information: #

Nature of the Sample	: Stack Emissions
Make & Model No.	: Cummins & KTA-50-G8-I
Engine No.	: 25370643
Rated Capacity	: 1500 KVA
Type of Stack /Duct	: Metal
Stack Height from Ground Level (m)	: 30
Diameter of the Stack (m)	: 0.07
Operation Load During Monitoring	: 1208 KVA

Laboratory Provided Information:


Date of Sampling	: 26-06-2023
Time of sampling	: 01:20 PM
Test Started On	: 27-06-2023
Test Completed On	: 30-06-2023
Purpose of Monitoring	: To Check Pollution Load
Name of the Emission Source Monitoring	: DG Set- 4
Sampling Method	: IS-11255 (P-7, P-3) & FL/SOP/ENV/D-02
Stack-Identification	: Stack attached to-DG Set- 4
Normal Operating Schedule	: As per requirement
Sampling Duration (min)	: 32
Flue Gas Temperature °C	: 121.8
Ambient Air Temperature °C	: 33
Flue Gas Velocity (m/s)	: 9.4
Volumetric Flow Rate (Nm ³ /h)	: 98.25

Analysis Report

S. No.	Parameters	Unit	Test Results	Specification as Per CPCB* (Maximum Allowable Limit)	Test Method
Chemical Analysis					
1	Carbon Monoxide at 15% O ₂	mg/Nm ³	63.52	150	FL/SOP/ENV-26
2	Non Methane Hydrocarbons (as C) at 15% O ₂	mg/Nm ³	6.75	100	FL/SOP/GC-24
3	Oxides of Nitrogen (as NO ₂) at 15% O ₂	ppmv.	148.96	710	IS:11255 (P-7)
4	Particulate matter at 15% O ₂	mg/Nm ³	45.12	75	IS:11255 (P-1)
5	Sulphur Dioxide	mg/Nm ³	14.17	NA	IS:11255 (P-2)

NA= Not Applicable; *CPCB= Central Pollution Control Board.

Reviewed By 

Authorised Signatory
D. Mathur, Director 

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaints/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227.
#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to :

JW Marriott
Asset Area 4, Hospitality District Delhi,
Aerocity, New Delhi-110037
Delhi, India

J.O. No. : ENV20230627-008-024
ULR Code : TC5503 23 3 00008307 F
Report Date : 30-06-2023
Sample Receipt Date : 27-06-2023
Account Manager : BD Team 3
Credit Manager : Septesh Kumar



Customer Provided Information: #

Nature of the Sample
Make & Model No.
Engine No.
Rated Capacity
Type of Stack/Duct
Stack Height from Ground Level (m)
Diameter of the Stack (m)
Operation Load During Monitoring

: Stack Emissions
: Thermax & Neotherm-NEO-10/10/54/10
: D2268
: 1000 kg/Hr.
: Metal
: 27
: 0.07
: 800 kg/Hr;

Laboratory Provided Information:

Date of Sampling
Time of sampling
Test Started On
Test Completed On
Purpose of Monitoring
Name of the Emission Source Monitoring
Sampling Method
Stack Identification
Normal Operating Schedule
Sampling Duration (min)
Flue Gas Temperature °C
Ambient Air Temperature °C
Flue Gas Velocity (m/s)
Volumetric Flow Rate (Nm³/h)

: 26-06-2023
: 02:00 PM
: 27-06-2023
: 30-06-2023
: To Check Pollution Load
: Boiler Stack- 1
: IS-11255 (P-7, P-3)& FL/SOP/ENV/D-02
: Stack attached to Boiler- 1
: As per requirement
: 50
: 107.5
: 34
: 13.34
: 144.67



Analysis Report

S.No.	Parameters	Unit	Test Results	Specification as Per CPCB* (Maximum Allowable Limit)	Test Method
Chemical Analysis					
1	Carbon Dioxide	% by Vol.	12.56	NA	IS:11255 (P-1)
2	Carbon Monoxide	mg/Nm ³	41.57	NA	FL/SOP/ENV-26
3	Hydrocarbons	mg/Nm ³	8.12	NA	FL/SOP/GC-24
4	Oxides of Nitrogen (as NO ₂)	mg/Nm ³	21.54	NA	IS:11255 (P-7)
5	Oxygen	% by Vol.	10.52	NA	IS:11255 (P-4)
6	Particulate Matter at 12% CO ₂	mg/Nm ³	38.55	1200	IS:11255(P-1)
7	Sulphur Dioxide	mg/Nm ³	6.45	NA	IS:11255 (P-2)

NA= Not Applicable; *CPCB= Central Pollution Control Board.

[Signature]
Reviewed By

[Signature]
Authorised Signatory
D. Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertain only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9595221227.
* The details are received from Customer on its own responsibility. FARE Labs does not confirm about it and hence does not take any responsibility whatsoever.

*****End of Report*****

FL/GEN/505

TEST REPORT

Issued to :

JW Marriott
 Asset Area 4, Hospitality District Delhi,
 Aerocity, New Delhi-110037
 Delhi, India

J.O. No. : ENV20230627-008-025
 ULR Code : TC5503 23 3 00008308 F
 Report Date : 30-06-2023
 Sample Receipt Date : 27-06-2023
 Account Manager : BD Team 3
 Credit Manager : Septesh Kumar



Customer Provided Information: #

Nature of the Sample	: Stack Emissions
Make & Model No.	: Thermax & Neotherm-NEO-10/10/54/11
Engine No.	: D2269
Rated Capacity	: 1000 kg/Hr.
Type of Stack /Duct	: Metal
Stack Height from Ground Level (m)	: 27
Diameter of the Stack (m)	: 0.07
Operation Load During Monitoring	: 805 kg/Hr.

Laboratory Provided Information:

Date of Sampling	: 26-06-2023
Time of sampling	: 02:10 PM
Test Started On	: 27-06-2023
Test Completed On	: 30-06-2023
Purpose of Monitoring	: To Check Pollution Load
Name of the Emission Source Monitoring	: Boiler Stack- 2
Sampling Method	: IS-11255 (P-7, P-3)& FL/SOP/ENV/D-02
Stack Identification	: Stack attached to Boiler- 2
Normal Operating Schedule	: As per requirement
Sampling Duration (min)	: 51
Flue Gas Temperature °C	: 112.6
Ambient Air Temperature °C	: 34
Flue Gas Velocity (m/s)	: 13.29
Volumetric Flow Rate (Nm³/h)	: 142.22



Analysis Report

S. No.	Parameters	Unit	Test Results	Specification as Per CPCB* (Maximum Allowable Limit)	Test Method
Chemical Analysis					
1	Carbon Dioxide	% by Vol.	12.63	NA	IS:11255 (P-1)
2	Carbon Monoxide	mg/Nm³	35.89	NA	FL/SOP/ENV-26
3	Hydrocarbons	mg/Nm³	6.36	NA	FL/SOP/GC-24
4	Oxides of Nitrogen (as NO₂)	mg/Nm³	19.65	NA	IS:11255 (P-7)
5	Oxygen	% by Vol.	9.83	NA	IS:11255 (P-4)
6	Particulate Matter at 12% CO₂	mg/Nm³	31.59	1200	IS:11255(P-1)
7	Sulphur Dioxide	mg/Nm³	9.14	NA	IS:11255 (P-2)

NA= Not Applicable; *CPCB= Central Pollution Control Board.

[Signature]
 Reviewed By

[Signature]
 Authorised Signatory
 D. Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertain only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability of FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227.
 #: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

*****End of Report*****

TEST REPORT

Issued to :
JW Marriott
 Asset Area 4, Hospitality District Delhi,
 Aerocity, New Delhi-110037
 Delhi, India

J.O. No. : ENV20230627-008-026
 ULR Code : TC5503 23 3 00008309 F
 Report Date : 30-06-2023
 Sample Receipt Date : 27-06-2023
 Account Manager : BD Team 3
 Credit Manager : Septesh Kumar



Customer Provided Information: #

Nature of the Sample	: Stack Emissions
Make & Model No.	: Thermax & Neotherm-NEO-10/10/54/09
Engine No.	: D2270
Rated Capacity	: 1000 kg/Hr.
Type of Stack /Duct	: Metal
Stack Height from Ground Level (m)	: 27
Diameter of the Stack (m)	: 0.07
Operation Load During Monitoring	: 806 kg/Hr.



Laboratory Provided Information:

Date of Sampling	: 26-06-2023
Time of sampling	: 03:35 PM
Test Started On	: 27-06-2023
Test Completed On	: 30-06-2023
Purpose of Monitoring	: To Check Pollution Load
Name of the Emission Source Monitoring	: Boiler Stack- 3
Sampling Method	: IS-11255 (P-7, P-3)& FL/SOP/ENV/D-02
Stack Identification	: Stack attached to Boiler- 3
Normal Operating Schedule	: As per requirement
Sampling Duration (min)	: 50
Flue Gas Temperature °C	: 115.3
Ambient Air Temperature °C	: 34
Flue Gas Velocity (m/s)	: 13.61
Volumetric Flow Rate (Nm ³ /h)	: 144.64

Analysis Report

S. No.	Parameters	Unit	Test Results	Specification as Per CPCB* (Maximum Allowable Limit)	Test Method
Chemical Analysis					
1	Carbon Dioxide	% by Vol.	12.98	NA	IS:11255 (P-1)
2	Carbon Monoxide	mg/Nm ³	46.58	NA	FL/SOP/ENV-26
3	Hydrocarbons	mg/Nm ³	7.82	NA	FL/SOP/GC-24
4	Oxides of Nitrogen (as NO ₂)	mg/Nm ³	25.41	NA	IS:11255 (P-7)
5	Oxygen	% by Vol.	10.73	NA	IS:11255 (P-4)
6	Particulate Matter at 12% CO ₂	mg/Nm ³	36.18	1200	IS:11255(P-1)
7	Sulphur Dioxide	mg/Nm ³	8.72	NA	IS:11255 (P-2)

NA= Not Applicable; *CPCB= Central Pollution Control Board.


 Reviewed By


 Authorised Signatory
 D. Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertain only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability of FARELABS Pvt. Ltd. is limited to invoice amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 959221227.
 # The details are received from Customer on its own responsibility. FARE Labs does not confirm about it and hence does not take any responsibility whatsoever.

*****End of Report*****

ANNEXTURE – Ambient Noise monitoring Report

TEST REPORT

Issued to :
JW Marriott
 Asset Area 4, Hospitality District Delhi,
 Aerocity, New Delhi-110037
 Delhi, India

J.O. No. : ENV20230627-011-029
 ULR Code : TC5503 23 3 00008312 F
 Report Date : 30-06-2023
 Sample Receipt Date : 27-06-2023
 Account Manager : BD Team 3
 Credit Manager : Septesh Kumar



Customer Provided Information: #

Nature of the Sample : Ambient Noise
 Place of Noise Pollution Monitored : Near Gate No.- 5

Laboratory Provided Information:

Date of Monitoring : 26-06-2023
 Time of Monitoring : 10:30 AM
 Test Started On : 27-06-2023
 Test Completed On : 30-06-2023
 Purpose of Monitoring : To Check Noise Level
 Instrument Used : Sound Level Meter
 Test Method : FL/SOP/ENV-05
 Duration of Monitoring : 24 hrs



Analysis Report

S. No.	Parameters Tested	Test Result dB(A) Day Time	Test Result dB(A) Night Time
1	Ambient Noise	62.5	58.9

dB (A)Leq denotes the time weighted average of the level of sound in decibel on scale A which is relatable to human hearing.

Note:The Noise Ambient Air Quality Standards are given for reference:

Area Code	Category of Area	Limits dB (A) Leq	
		Day Time (6AM - 10PM)	Night Time (10PM - 06AM)
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

Inference: The tested sample of Noise for above mentioned location **Conforms** as per the National Ambient Air Quality Standards-Industrial Area.

[Signature]
 Reviewed By

[Signature]
 Authorised Signatory
 D Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertain only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to involved amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaints/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227.
 #: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

FL / GEN / 05

TEST REPORT

Issued to :
JW Marriott
 Asset Area 4, Hospitality District Delhi,
 Aerocity, New Delhi-110037
 Delhi, India

J.O. No. : ENV20230627-012-030
 ULR Code : TC5503 23 3 00008313 F
 Report Date : 30-06-2023
 Sample Receipt Date : 27-06-2023
 Account Manager : BD Team 3
 Credit Manager : Septesh Kumar



Customer Provided Information: #

Nature of the Sample : **Workzone Noise**
 Location : **Guest Room**

Laboratory Provided Information:

Date of Monitoring : 26-06-2023
 Purpose of Monitoring : To Check Noise Level
 Parameter Tested : Noise Level, Leq dB (A)
 Sampling Method : FL/SOP/ENV/D-03



Analysis Report

S. No.	Location of Sampling	Test Results	OSHA PEL*	Test Method
Physical				
1	Work Zone Noise	71.6	90	FL/SOP/ENV-07

PEL= Permissible Exposure Limit

*OSHA - Occupational Safety and Health Administration Standards for Indoor Air Quality in Commercial and Institutional Buildings, US department of Labour, USA.

*dB (A) Leq denotes the time weighted average of the level of sound in decibel on scale A which is relatable to human hearing.

Inference: The Noise Levels Meet the OSHA PEL Noise.


 Reviewed By


 Authorised Signatory
 D Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at REPORT_CONFIRMATION@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227.
 * The details are received from Customer on its own responsibility. FARE Labs does not confirm about it and hence does not take any responsibility whatsoever.

*****End of Report*****

ANNEXTURE – Noise monitoring Report(DG Sets)

TEST REPORT

Issued to :
JW Marriott
 Asset Area 4, Hospitality District Delhi,
 Aerocity, New Delhi-110037
 Delhi, India

J.O. No. : ENV20230627-013-031
 ULR Code : TC5503 23 3 00008314 F
 Report Date : 30-06-2023
 Sample Receipt Date : 27-06-2023
 Account Manager : BD Team 3
 Credit Manager : Septesh Kumar



Customer Provided Information: #

Nature of the Sample : DG Room Noise

Laboratory Provided Information:

Date of Monitoring : 26-06-2023
 Time of Monitoring : 10:50 AM
 Test Started On : 27-06-2023
 Test Completed On : 30-06-2023
 Purpose of Monitoring : To Check Noise Level
 Instrument used : Sound Level Meter
 Test Protocol Followed : CPCB Guidelines



Analysis Report

S. No.	Parameters	Unit	Test Results	Specification as Per CPCB*	Test Method
Physical Analysis					
1	DG Noise Level, While enclosure room is closed at a distance of 1.0m	dB(A)	74.2	NA	FL/SOP/ENV-08
2	DG Noise Level, While enclosure room is open	dB(A)	99.8	NA	FL/SOP/ENV-08
3	Insertion Loss	dB(A)	25.6	NA	FL/SOP/ENV-08

NA= Not Applicable; *CPCB= Central Pollution Control Board.

[Signature]
 Reviewed By

[Signature]
 Authorised Signatory
 D. Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertain only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability of FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227.
 #: The details are received from Customer on its own responsibility. FARE Labs does not confirm about it and hence does not take any responsibility whatsoever.

*****End of Report*****

FL / GEN / 05

TEST REPORT

Issued to :
JW Marriott
 Asset Area 4, Hospitality District Delhi,
 Aerocity, New Delhi-110037
 Delhi, India

J.O. No. : ENV20230627-013-031
 ULR Code : TC5503 23 3 00008314 F
 Report Date : 30-06-2023
 Sample Receipt Date : 27-06-2023
 Account Manager : BD Team 3
 Credit Manager : Septesh Kumar



Customer Provided Information: #

Nature of the Sample : DG Room Noise

Laboratory Provided Information:

Date of Monitoring : 26-06-2023
 Time of Monitoring : 10:50 AM -
 Test Started On : 27-06-2023
 Test Completed On : 30-06-2023
 Purpose of Monitoring : To Check Noise Level
 Instrument used : Sound Level Meter
 Test Protocol Followed : CPCB Guidelines



Analysis Report

S. No.	Parameters	Unit	Test Results	Specification as Per CPCB*	Test Method
Physical Analysis					
1	DG Noise Level, While enclosure room is closed at a distance of 1.0m	dB(A)	74.2	NA	FL/SOP/ENV-08
2	DG Noise Level, While enclosure room is open	dB(A)	99.8	NA	FL/SOP/ENV-08
3	Insertion Loss	dB(A)	25.6	NA	FL/SOP/ENV-08

NA= Not Applicable; *CPCB= Central Pollution Control Board.

[Signature]
 Reviewed By

[Signature]
 Authorised Signatory
 D. Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertain only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at faq@farelabs.com and call at +91 9599221227.
 #: The details are received from Customer on its own responsibility. FARE Labs does not confirm about it and hence does not take any responsibility whatsoever.

*****End of Report*****

TEST REPORT

Issued to :
JW Marriott
Asset Area 4, Hospitality District Delhi,
Aerocity, New Delhi-110037
Delhi, India

J.O. No. : ENV20230627-013-032
ULR Code : TC5503 23 3 00008315 F
Report Date : 30-06-2023
Sample Receipt Date : 27-06-2023
Account Manager : BD Team 3
Credit Manager : Septesh Kumar



Customer Provided Information: #

Nature of the Sample : DG Room Noise

Laboratory Provided Information:

Date of Monitoring : 26-06-2023
Time of Monitoring : 10:55 AM
Test Started On : 27-06-2023
Test Completed On : 30-06-2023
Purpose of Monitoring : To Check Noise Level
Instrument used : Sound Level Meter
Test Protocol Followed : CPCB Guidelines



Analysis Report

S. No.	Parameters	Unit	Test Results	Specification as Per CPCB*	Test Method
Physical Analysis					
1	DG Noise Level, While enclosure room is closed at a distance of 1.0m	dB(A)	74.8	NA	FL/SOP/ENV-08
2	DG Noise Level, While enclosure room is open	dB(A)	100.3	NA	FL/SOP/ENV-08
3	Insertion Loss	dB(A)	25.5	NA	FL/SOP/ENV-08

NA= Not Applicable; *CPCB= Central Pollution Control Board.


Reviewed By


Authorised Signatory
D. Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertain only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227.
*: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

*****End of Report*****

FL / GEN - 05

ANNEXTURE – Consent To Operate-DPCC

Online Consent Management & Monitoring System

Delhi Pollution Control Committee

4TH Floor, ISBT Building, Kashmere Gate Delhi-110006

visit us at <https://dpcocmis.nlc.in>

FEE RECEIPT

845418189
SANDEEP GUPTA
ICICI
NA
6669799
ARIA HOTELS AND CONSULTANCY SERVICES PRIVATE LIMITED, ASSET DISTRICT AEROCITY NEW DELHI, Hotels, NEW DELHI
CMC IV
CTO - BOTH - NEW
12-03-2023
Payment Details
EASYPAY_ICICI
10800000
Successfully Completed

Print

ANNEXTURE – NOC For Fire Safety

FORM 'H'
FORM FOR ISSUING FIRE SAFETY CERTIFICATE
[Refer sub - rule (1) of rule 35]

GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI
HEAD QUARTERS: DELHI FIRE SERVICE, CONNAUGHT PLACE
NEW DELHI

No.F6/DFS/MS/Hotel/SZ/2021/ 21

Dated: 23/7/21

FIRE SAFETY CERTIFICATE

Certified that the M/s Aria Hotels and Consultancy Services Private Limited (Project-J W Marriott) situated at Asset No.-4, Hospitality District, I.G.I. Airport, Aerocity, New Delhi-110037, comprised of Three tier Basement, Ground, Six Upper Floors owned / occupied by M/s Aria Hotels and Consultancy Services Private Limited (Project-J W Marriott), was granted Fire Safety Certificate by this department vide letter No. F6/DFS/MS/Hotel/SZ/2018/2150 dated 05/10/2018. The premises was re-inspected by the officers concerned of this department on 09/07/2021 in the presence of Sh. Rahul Sisodiya (Chief Engg.) and observed that all the Fire prevention and Fire Safety arrangements provided in the premises found in good working condition. The premises have therefore, deemed complied with rule 33 of the Delhi Fire Service rules, 2010 and that the building / premises is fit for occupancy Class "Mixed (Hotel & Commercial)" with effect from 23 / 7 /2021 for a period of three years in accordance with rule 36 unless renewed under rule 37 or sooner cancelled under Rule 40 and subject to compliance of conditions under 38 of the Delhi Fire Service rules, 2010.

Issued on ...23./7./21.... at New Delhi by.

Atul Garg
23/07/2021
(ATUL GARG)
DIRECTOR.

Copy to:-

1. The Executive Vice President, DIAL, New Udaan Bhawan, Terminal-3, IGI Airport, New Delhi-110037.
2. Joint Commissioner of Police (Lic.), 1st Floor, Police Station, Defence Colony, Delhi-110024.
3. Sh. Sandeep Gupta, M/s Aria Hotels and Consultancy Services Private Limited (Project-J W Marriott), Asset No.-4, Hospitality District, I.G.I. Airport, Aerocity, New Delhi-110037.

Conditions for the validity of Fire Safety Certificate:

1. All the means of escape / entry / exit shall be kept free from any obstruction.
2. All the fire safety arrangement provided there in shall be maintained in good working conditions at all times.
3. Any loss of life or property due to non- functional fire safety measure shall be at the responsibility of the management.
4. All the staff members must know the correct method of operation of fire fighting system.
5. This Fire Safety Certificate may not in any way be treated as regularization (Clause 2.8 of UBBL-2016) of unauthorized construction or Alteration (Clause 1.4.3. of UBBL-2016), if any.
6. This certificate cannot be treated in any case for regularizations of unauthorized construction.
7. **"The owner / Occupier shall apply for renewal of this Fire Safety Certificate to the Director in Form 'J' [sub rule (1) of rule 37] along with a copy of this Certificate, six months prior to its expiry"**
8. The owner / occupier shall submit a declaration every year in form "K" provided in the first schedule of Delhi Fire Service Rules 2010. The form is available on WWW.dfs.Delhigovt.nic.in.

ANNEXTURE – First Add Facility

 **THADHANI**
Since 1947


FIRST AID KIT

MEDIC 2500 SERIES

INTERNAL EMERGENCY CONTACTS

HR/IR Department

Address of First Aid Kit



EMERGENCY CONTACT NUMBERS

Nearest Hospital


Ambulance

ANNEXTURE – Hotel Structure Photo







ANNEXTURE – S.T.P Structure



1001 WATER TANK
774101172000000






1005

AERATION TANK
CAPACITY 53000(LTR)

SLUDGE HOLDING TANK
CAPACITY 12000 (LTR)

(D)





ANNEXTURE – PNG Gas Connection Bill

CST/TIN No. : 07030076542

RETAIL INVOICE

Phones : 41687736, 9899727727
41687737

ANAND SERVICE STATION
(DEALERS : HINDUSTAN PETROLEUM CORP. LTD.)
(MAHIPALPUR - GURGAON ROAD, NEW DELHI-110037.)

Bill No. : 12

Dated : 17/12/22

SD JWHSN : JW MARRIOTTI AUNIT OF ARIA

Description	Quantity	MRP.	VAT %	Amount
DIESEL: (HSD)	1000.000	89.660	16.75	89660.00

Gross	:	89,660.00
Add Cartage	:	1,100.00
Total	:	90,760.00

Amount In Words : Rupees Ninety Thousand Seven Hundred Sixty only.

JW MARRIOTTI AUNIT
NEW DELHI
DATE/TIME 17/12/2022
20100
SIGNATURE Pankaj

PRICES ARE INCLUSIVE OF VAT
E& O.E





INDRAPRASTHA GAS LIMITED

(A Joint Venture of GAIL (India) Ltd., BPCL & Govt. of NCT of Delhi)
Corporate Office : IGL BHAWAN, Plot No. 4, Community Centre, R.K.Puram,
Sector - 9, New Delhi - 110022

Retail Invoice/Bill of Supply

INVOICE

BUSINESS PARTNER NO: 4300000131

Delhi Large Commercial Post PNGRB

Invoice No. : 100036789974

Invoice Date : 15.06.2023

Dispatch Date : 22.06.2023

Due Date : 29.06.2023

Disconnection Date : 07.07.2023

HSN code - 2711

Commodity-Natural Gas

UNIT OF ARIA HOTELS & CONSULT SERVICES

L.W.MARRIOT

IGI AIRPORT

HOSPITALITY DISTRICT

ASSET NO.4

NEW DELHI - 110037

Phone Number : 8527298231

TIN No.

ISTN

PAN : AAGCA4627C

RTGS Details

Beneficiary Party Name : Indraprastha Gas Ltd.
Bank A/C Number : IGLCOMZ4300000131
Bank IFSC Code : IDFB0010204
Bank Name : IDFC
Bank Address : CMS HUB Branch, Mumbai

Billed period : 01.06.2023 - 15.06.2023

S NO	METER NO	PREVIOUS DATE	PREVIOUS READING (A)	CURRENT READING (B)	CORRECTION FACTOR(C)	CONSUMPTION D=(B-A)*C	PRICE / SCM (E)	CONSUMPTION VALUE (F=E*D)	DISCOUNT (G)	TOTAL (INR) (H=F-G)
	30096G040R	31.06.2023	2074400.84	2085897.83	1.000	11496.99	65.19	749488.78	0.00	749488.78
2	30007G040R/2014	31.06.2023	486238.00	493057.00	1.000	7819.00	65.19	509720.61	0.00	509720.61
TOTAL VALUE										1259209.39

VAT	62960.47 INR
Arrears	0.34- INR
TOTAL AMOUNT DUE (Before due date)	1322169.52 INR

Note : 1. DD / Cheque without Business Partner No. will not be accounted for against your invoice & next invoice will show arrears.

2. Please mention your Name & Tel / Mobile No. on the back of the DD / Cheque

PAN : AAACI5076R

TIN No. : 07200216284 eff. from 5th April 1999

CIN No. : L23201DL1998PLC097614

Service Tax Regn. No. : AAACI5076RST001

GSTN : 07AAACI5076R1ZZ

(Authorised Signatory)

REMITTANCE SLIP(FOR OFFICIAL USE ONLY)

Please draw your Cheque/DD favouring "INDRAPRASTHA GAS LIMITED A/c Business Partner No 4300000131" And submit it at any branch of IDFC bank or to Deputy Manager, Marketing - commercial segment, IGL Bhawan, RK Puram sector - 9, Delhi.

Business Partner : 4300000131
Name : Mr. J.W.MARRIOT

Received on:
Invoice No : 100036789974

Cash Receipt No : Date :

Amount :

Cheque Demand Draft Cheque/DD No:


Date :

Amount:

Bank Name:

ANNEXTURE – Buffer Green Belt Photo





Ju
garden